产品名称: CD23 (3D1) Mouse Monoclonal Antibody

产品货号: AMM00721



产品概述 (Summary)

产品名称 (Production Name) CD23 (3D1) Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse 应用 (Application) IHC,ICC/IF

种属反应性 (Reactivity) Human, Mouse, Rat

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) lgG1

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

sodium azide, pH 7.3.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) FCER2

FCER2; CD23A; CLEC4J; FCE2; IGEBF; Low affinity immunoglobulin epsilon Fc

别名 (Alternative Names) receptor; BLAST-2; C-type lectin domain family 4 member J; Fc-epsilon-RII;

Immunoglobulin E-binding factor; Lymphocyte IgE receptor; CD23

基因 ID (Gene ID) 2208 **蛋白 ID (SwissProt ID)** P06734.

产品应用 (Application)

稀释比 (Dilution Ratio) IHC 1:50-1:100,ICC/IF 1:50-1:200

蛋白分子量(Molecular Weight) -

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: CD23 (3D1) Mouse Monoclonal Antibody

产品货号: AMM00721




研究背景 (Background)

This receptor has essential roles in the regulation of IgE production and in the differentiation of B-cells (it is a B-cell-specific antigen).


研究领域 (Research Area)

Immunology


图片 (Image Data)



Immunofluorescence analysis of CD23 (3D1) in Human stomach using CD23 (3D1) antibody(red), and DAPI (blue).



Immunofluorescence analysis of CD23 (3D1) in rat lung tissue using CD23 antibody(1E9)(red), and DAPI (blue).



Immunohistochemistry analysis of paraffin-embedded Human lung tissue using CD23 antibody. High-pressure and


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: CD23 (3D1) Mouse Monoclonal Antibody


产品货号: AMM00721




temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded rat kidney tissue using CD23 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded mouse lung tissue using CD23 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded Human tonsil tissue using CD23 (3D1) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838