

产品名称: Smad2/3 (6F7) Mouse Monoclonal Antibody
产品货号: AMM03601



产品概述 (Summary)

产品名称 (Production Name)	Smad2/3 (6F7) Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB,IHC
种属反应性 (Reactivity)	Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% sodium azide, pH 7.3.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	SMAD3/SMAD2 SMAD2; MADH2; MADR2; MAD homolog 2; M hMAD-2; SMAD family member 2; SMAD 2; Smad2; hSMAD2;SMAD3; MADH3; hMAD-3; JV15-2; SMAD family member 3; SMAD 3; Smad3; hSMAD3;smad2/3;smad2+3
别名 (Alternative Names)	
基因 ID (Gene ID)	4087/4088
蛋白 ID (SwissProt ID)	P84022/Q15796.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW: 52 kDa; Observed MW: 52,60 kDa

产品名称: Smad2/3 (6F7) Mouse Monoclonal Antibody
产品货号: AMM03601




研究背景 (Background)

Members of the Smad family of signal transduction molecules are components of a critical intracellular pathway that transmit TGF- β signals from the cell surface into the nucleus. Three distinct classes of Smads have been defined: the receptor-regulated Smads (R-Smads), which include Smad1, 2, 3, 5, and 8; the common-mediator Smad (co-Smad), Smad4; and the antagonistic or inhibitory Smads (I-Smads), Smad6 and 7. Activated type I receptors associate with specific R-Smads and phosphorylate them on a conserved carboxy terminal SSXS motif. The phosphorylated R-Smad dissociates from the receptor and forms a heteromeric complex with the co-Smad (Smad4), allowing translocation of the complex to the nucleus. Once in the nucleus, Smads can target a variety of DNA binding proteins to regulate transcriptional responses.


研究领域 (Research Area)

Signal Transduction

图片 (Image Data)




Immunohistochemistry analysis of paraffin-embedded Human Liver tissue using Smad2/3 (6F7) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemical analysis of paraffin-embedded Human tonsils using Smad2/3 (6F7) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

产品名称: Smad2/3 (6F7) Mouse Monoclonal Antibody
产品货号: AMM03601



Western blot analysis of Smad2/3 (6F7) in C6, MCF-7, Jurkat and 3T3 lysates using Smad2/3 (6F7) antibody

注意事项 (Note)

For research use only .