

产品名称: Ku70 (6H10) Mouse Monoclonal Antibody
产品货号: AMM03673



产品概述 (Summary)

产品名称 (Production Name)	Ku70 (6H10) Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB, ICC/IF
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG2b
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% sodium azide, pH 7.3.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	XRCC6 XRCC6; G22P1; X-ray repair cross-complementing protein 6; 5'-deoxyribose-5-phosphate lyase Ku70; 5'-dRP lyase Ku70; 70 kDa subunit of Ku antigen; ATP-dependent DNA helicase 2 subunit 1; ATP-dependent DNA helicase II 70 kDa subunit; CTC box-
别名 (Alternative Names)	
基因 ID (Gene ID)	2547
蛋白 ID (SwissProt ID)	P12956.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000, ICC/IF 1:50-1:200
蛋白分子量 (Molecular Weight)	Calculated MW: 70 kDa; Observed MW: 70 kDa

产品名称: Ku70 (6H10) Mouse Monoclonal Antibody
产品货号: AMM03673




研究背景 (Background)

It works in the 3'-5' direction. Binding to DNA may be mediated by XRCC6. Involved in DNA non-homologous end joining (NHEJ) required for double-strand break repair and V(D)J recombination. The XRCC5/6 dimer acts as regulatory subunit of the DNA-dependent protein kinase complex DNA-PK by increasing the affinity of the catalytic subunit PRKDC to DNA by 100-fold. The XRCC5/6 dimer is probably involved in stabilizing broken DNA ends and bringing them together.


研究领域 (Research Area)

Epigenetics and Nuclear Signaling

图片 (Image Data)



Western blot analysis of Ku70 in HeLa, A549, MCF-7, Jurkat and Raji lysates using Ku70 antibody.



Immunocytochemistry analysis of Ku70 (6H10) in HeLa using Ku70 antibody.

注意事项 (Note)

For research use only .