产品名称: MYST1 Mouse Monoclonal Antibody

产品货号: AMM80597



产品概述 (Summary)

产品名称 (Production Name) MYST1 Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse

应用 (Application) WB,IHC,ICC,ELISA

种属反应性 (Reactivity) Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG2b 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) MYST1

別名 (Alternative Names) MOF; KAT8; hMOF

基因 ID (Gene ID) 84148.0

蛋白 ID (SwissProt ID) Q9H7Z6.Purified recombinant fragment of human MYST1 expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:200-1:1000,ICC 1:200-1:1000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 53kDa

研究背景 (Background)

MYST1 (MYST histone acetyltransferase 1, MOF) belongs to the MYST family of histone acetyltransferases, which are employed in the cell to bring about transcriptional regulation. The MYST family includes MYST1, is named for the founding

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: MYST1 Mouse Monoclonal Antibody


产品货号: AMM80597




members MOZ, yeast YBF2 and SAS2, and TIP60. All members of this family contain a MYST region of about 240 amino acids with a canonical acetyl-CoA-binding site and a C2HC-type zinc finger motif. Most MYST proteins also have a chromodomain involved in protein- protein interactions and targeting transcriptional regulators to chromatin. Although MOF is expressed in both males and females, it associates with the X chromosome only in males. MOF contains a zinc-finger domain that is used to contact the globular part of the nucleosome and histone H4. The carboxy terminal domain of human MOF also has histone acetyltransferase activity directed against histones H3 and H2A, a characteristic shared with other MYST family histone

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis using MYST1 mouse mAb against Hela (1), HepG2 (2) and SMMC-7721 (3) cell lysate.




Confocal Immunofluorescence analysis of Eca 109 cells using MOF/MYST1 mouse mAb (green), showing nuclear localization.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: MYST1 Mouse Monoclonal Antibody

产品货号: AMM80597





Immunohistochemical analysis of paraffin-embedded human esophageal squamous cell carcinoma (A), normal esophagus epithelium (B), rectum adenocarcinoma (C), lung squamous cell carcinoma (D), breast infiltrating carcinoma (E), and breast infiltrating carcinoma (F) tissues, showing nuclear localization using MOF/MYST1 mouse mAb with DAB staining.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838