

产品概述 (Summary)

产品名称 (Production Name) Cytokeratin (Pan) Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse

应用 (Application) IHC,ICC,ELISA

种属反应性 (Reactivity) Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) Cytokeratin (Pan)

别名 (Alternative Names) K5; DDD; EBS2; KRT5A; KRT5

基因 ID (Gene ID) 3852.0

蛋白ID (SwissProt ID) P13647.Purified recombinant fragment of CK5 expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) IHC 1:200-1:1000,ICC 1:200-1:1000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) /

研究背景 (Background)


Biochemically, most members of the CK family fall into one of two classes, type I (acidic polypeptides) and type II (basic polypeptides). The type II cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic keratin

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838


chains coexpressed during differentiation of simple and stratified epithelial tissues. Cytokeratins comprise a diverse group of intermediate filament proteins (IFPs) that are expressed as pairs in both keratinized and non-keratinized epithelial tissue. Cytokeratins play a critical role in differentiation and tissue specialization and function to maintain the overall structural integrity of epithelial cells. Cytokeratins have been found to be useful markers of tissue differentiation which is directly applicable to the characterization of malignant tumors.

研究领域 (Research Area)

图片 (Image Data)




Immunofluorescence staining of methanol-fixed Eca-109 (left) and HepG2 (right) cells showing cytoplasmic localization.



Immunohistochemical analysis of paraffin-embedded human lung squamous cell carcinoma (A),normal hepatocyte (B), colon adenocacinoma?, normal stomach tissue (D), showing cytoplasmic and membrane localization using CK mouse mAb with DAB staining.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838





Immunohistochemical analysis of paraffin-embedded human Skin tissues using CK mouse mAb

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838