产品名称: HAUSP Mouse Monoclonal Antibody

产品货号: AMM80799



产品概述 (Summary)

产品名称 (Production Name) HAUSP Mouse Monoclonal Antibody

描述 (**Description**) Mouse monoclonal Antibody

宿主 (Host)Mouse应用 (Application)WB,ELISA种属反应性 (Reactivity)Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

存放说明 (Storage)

基因名 (Gene Name) HAUSP

别名 (Alternative Names) TEF1; HAUSP; USP7

基因 ID (Gene ID) 7874.0

蛋白 ID (SwissProt ID) Q93009.Purified recombinant fragment of human HAUSP expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 128kDa

研究背景 (Background)

USP7 or HAUSP is a ubiquitin specific protease or a deubiquitylating enzyme that cleaves ubiquitin from its substrates. Since ubiquitylation (polyubiquitination) is most commonly associated with the stability and degradation of cellular

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838




产品货号: AMM80799



proteins, HAUSP acitivity generally stabilizes its substrate proteins. HAUSP is most popularly known as a direct antagonist of Mdm2, the E3 ubiquitin ligase for the tumor suppressor protein, p53.Normally, p53 levels are kept low in part due to Mdm2-mediated ubiquitylation and degradation of p53. Interestingly, in response to oncogenic insults, HAUSP can deubiquitinate p53 and protect p53 from Mdm2-mediated degradation, indicating that it may possess a tumor suppressor function for the immediate stabilization of p53 in response to stress. Another important role of HAUSP function involves the oncogenic stabilization of p53. Oncogenes such as Myc and E1A are thought to activate p53 through a p19 alternative reading frame (p19ARF, also called ARF)-dependent pathway, although some evidence suggests ARF is not essential in this process. An intriguing possibility is that HAUSP provides an alternative pathway for safeguarding the cell against oncogenic insults.

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis using HAUSP mouse mAb against MCF-7 (1) cell lysate.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838