产品货号: AMM80986



产品概述 (Summary)

产品名称 (Production Name) CDK9 Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse 应用 (Application) IHC,ELISA

种属反应性 (Reactivity) Human, Mouse, Rat, Rabbit, Monkey

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) PBS containing 0.03% sodium azide.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) CDK9

别名 (Alternative Names) TAK; C-2k; CTK1; CDC2L4; PITALRE

基因 ID (Gene ID) 1025.0

蛋白 ID (SwissProt ID) P50750.Purified recombinant fragment of human CDK9 expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) IHC 1:200-1:1000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 43kDa

研究背景 (Background)

The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of S. cerevisiae cdc28, and S. pombe cdc2, and known as important cell cycle

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838


产品货号: AMM80986




regulators. This kinase was found to be a component of the multiprotein complex TAK/P-TEFb, which is an elongation factor for RNA polymerase II-directed transcription and functions by phosphorylating the C-terminal domain of the largest subunit of RNA polymerase II. This protein forms a complex with and is regulated by its regulatory subunit cyclin T or cyclin K. HIV-1 Tat protein was found to interact with this protein and cyclin T, which suggested a possible involvement of this protein in AIDS. (provided by RefSeq)Tissue specificity: Ubiquitous.

研究领域(Research Area)

图片 (Image Data)



Red: Control Antigen (100ng); Purple: Antigen (10ng); Green: Antigen (50ng); Blue: Antigen (100ng);




Immunohistochemical analysis of paraffin-embedded human rectum cancer tissues (left) and placenta tissues (right) using CDK9 mouse mAb with DAB staining.


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品货号: AMM80986






Immunohistochemical analysis of paraffin-embedded human brain tissues (left) and esophageal cancer tissues (right) using CDK9 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded Mouse kidney using CDK9 mouse mAb with DAB staining.




Immunohistochemical analysis of paraffin-embedded Rat kidney using CDK9 mouse mAb with DAB staining.


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品货号: AMM80986





Immunohistochemical analysis of paraffin-embedded Rabbit kidney using CDK9 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded Rabbit testis using CDK9 mouse mAb with DAB staining.

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838