

产品名称: CD105 Mouse Monoclonal Antibody
产品货号: AMM80996



产品概述 (Summary)

产品名称 (Production Name)	CD105 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	IHC, ICC, ELISA, FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CD105
别名 (Alternative Names)	ENG; END; ORW; HHT1; ORW1; CD105; FLJ41744
基因 ID (Gene ID)	2022.0
蛋白 ID (SwissProt ID)	P17813. Purified recombinant fragment of human CD105 expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:200-1:1000, ICC 1:200-1:1000, ELISA 1:5000-1:20000, FC 1:200-1:400
蛋白分子量 (Molecular Weight)	71kDa

研究背景 (Background)

This gene encodes a homodimeric transmembrane protein which is a major glycoprotein of the vascular endothelium. This protein is a component of the transforming growth factor beta receptor complex and it binds TGF β 1 and TGF β 3 with high


产品名称: CD105 Mouse Monoclonal Antibody
产品货号: AMM80996




affinity. Mutations in this gene cause hereditary hemorrhagic telangiectasia, also known as Osler-Rendu-Weber syndrome 1, an autosomal dominant multisystemic vascular dysplasia.

研究领域 (Research Area)


图片 (Image Data)



Red: Control Antigen (100ng); Purple: Antigen (10ng); Green: Antigen (50ng); Blue: Antigen (100ng);




Immunofluorescence analysis of HepG2 cells using CD105 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Flow cytometric analysis of HepG2 cells using CD105 mouse mAb (green) and negative control (purple).

产品名称: CD105 Mouse Monoclonal Antibody
产品货号: AMM80996



Immunohistochemical analysis of paraffin-embedded human kidney cancer tissues (left) and stomach cancer tissues (right) using CD105 mouse mAb with DAB staining.

注意事项 (Note)

For research use only .