产品名称: CD10 Mouse Monoclonal Antibody

产品货号: AMM81285



产品概述 (Summary)

产品名称 (Production Name) CD10 Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse

应用 (Application) WB,IHC,ELISA

种属反应性 (Reactivity) Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

存放说明 (Storage)

基因名 (Gene Name) CD10

别名 (Alternative Names) MME; NEP; SFE; CALLA

基因 ID (Gene ID) 4311.0

P08473.Purified recombinant fragment of human CD10 (AA: 52-246) 蛋白ID (SwissProt ID)

expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:200-1:1000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 85.5kDa

研究背景 (Background)

This gene encodes a common acute lymphocytic leukemia antigen that is an important cell surface marker in the diagnosis

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: CD10 Mouse Monoclonal Antibody

产品货号: AMM81285




of human acute lymphocytic leukemia (ALL). This protein is present on leukemic cells of pre-B phenotype, which represent 85% of cases of ALL. This protein is not restricted to leukemic cells, however, and is found on a variety of normal tissues. It is a glycoprotein that is particularly abundant in kidney, where it is present on the brush border of proximal tubules and on glomerular epithelium. The protein is a neutral endopeptidase that cleaves peptides at the amino side of hydrophobic residues and inactivates several peptide hormones including glucagon, enkephalins, substance P, neurotensin, oxytocin, and bradykinin. This gene, which encodes a 100-kD type II transmembrane glycoprotein, exists in a single copy of greater than 45 kb. The 5' untranslated region of this gene is alternatively spliced, resulting in four separate mRNA transcripts. The coding region is not affected by alternative splicing.


'>

研究领域 (Research Area)

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng);




Western blot analysis using CD10 mouse mAb against LNCAP cell lysate.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838


产品名称: CD10 Mouse Monoclonal Antibody

产品货号: AMM81285





Immunohistochemical analysis of paraffin-embedded human prostate cancer tissues using CD10 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissues using CD10 mouse mAb with DAB staining.

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838