

产品名称: DNTT Mouse Monoclonal Antibody
产品货号: AMM81732



产品概述 (Summary)

产品名称 (Production Name)	DNTT Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB,ELISA,FC
种属反应性 (Reactivity)	Human,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	DNTT
别名 (Alternative Names)	TDT
基因 ID (Gene ID)	1791.0
蛋白 ID (SwissProt ID)	P04053.Purified recombinant fragment of human DNTT (AA: 52-192) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	58.5kDa

研究背景 (Background)

This gene is a member of the DNA polymerase type-X family and encodes a template-independent DNA polymerase that


产品名称: DNTT Mouse Monoclonal Antibody
产品货号: AMM81732




catalyzes the addition of deoxynucleotides to the 3'-hydroxyl terminus of oligonucleotide primers. In vivo, the encoded protein is expressed in a restricted population of normal and malignant pre-B and pre-T lymphocytes during early differentiation, where it generates antigen receptor diversity by synthesizing non-germ line elements (N-regions) at the junctions of rearranged Ig heavy chain and T cell receptor gene segments. Alternatively spliced transcript variants encoding different isoforms of this gene have been described.

研究领域 (Research Area)

图片 (Image Data)




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Western blot analysis using DNTT mouse mAb against Raji (1), A549 (2), HeLa (3), and PC-12 (4) cell lysate.

产品名称: DNTT Mouse Monoclonal Antibody
产品货号: AMM81732



Flow cytometric analysis of *** cells using Hela mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .