

产品名称: ARFGAP1 Mouse Monoclonal Antibody
产品货号: AMM81838



产品概述 (Summary)

产品名称 (Production Name)	ARFGAP1 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB,ELISA,FC
种属反应性 (Reactivity)	Human,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG2b
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	ARFGAP1
别名 (Alternative Names)	ARF1GAP; HRIHFB2281
基因 ID (Gene ID)	55738.0
蛋白 ID (SwissProt ID)	Q8N6T3.Purified recombinant fragment of human ARFGAP1 (AA: 270-414) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	44.7kDa

研究背景 (Background)

The protein encoded by this gene is a GTPase-activating protein, which associates with the Golgi apparatus and which


产品名称: ARFGAP1 Mouse Monoclonal Antibody
产品货号: AMM81838




interacts with ADP-ribosylation factor 1. The encoded protein promotes hydrolysis of ADP-ribosylation factor 1-bound GTP and is required for the dissociation of coat proteins from Golgi-derived membranes and vesicles. Dissociation of the coat proteins is required for the fusion of these vesicles with target compartments. The activity of this protein is stimulated by phosphoinositides and inhibited by phosphatidylcholine. Alternative splicing results in multiple transcript variants.

研究领域 (Research Area)

图片 (Image Data)




Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Western blot analysis using ARFGAP1 mouse mAb against MOLT4 (1), C2C12 (2), HepG2 (3), MCF-7 (4), and Lncap (5) cell lysate.

产品名称: ARFGAP1 Mouse Monoclonal Antibody
产品货号: AMM81838



Flow cytometric analysis of HepG2 cells using ARFGAP1 mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .