

产品名称: GRM6 Mouse Monoclonal Antibody
产品货号: AMM81921



产品概述 (Summary)

产品名称 (Production Name)	GRM6 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	ELISA,FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	GRM6
别名 (Alternative Names)	mGlu6; CSNB1B; GPRC1F; MGLUR6
基因 ID (Gene ID)	2916.0
蛋白 ID (SwissProt ID)	O15303.Purified recombinant fragment of human GRM6 (AA: extra 480-585) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	95.5kDa

研究背景 (Background)

L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and


产品名称: GRM6 Mouse Monoclonal Antibody
产品货号: AMM81921




metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The metabotropic glutamate receptors are a family of G protein-coupled receptors, that have been divided into 3 groups on the basis of sequence homology, putative signal transduction mechanisms, and pharmacologic properties. Group I includes GRM1 and GRM5 and these receptors have been shown to activate phospholipase C. Group II includes GRM2 and GRM3 while Group III includes GRM4, GRM6, GRM7 and GRM8. Group II and III receptors are linked to the inhibition of the cyclic AMP cascade but differ in their agonist selectivities.

研究领域 (Research Area)

图片 (Image Data)



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Flow cytometric analysis of K562 cells using GRM6 mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .