

产品名称: GLRB Mouse Monoclonal Antibody
产品货号: AMM81924



产品概述 (Summary)

产品名称 (Production Name)	GLRB Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	ICC,ELISA,FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG2b
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	GLRB
别名 (Alternative Names)	HKPX2
基因 ID (Gene ID)	2743.0
蛋白 ID (SwissProt ID)	P48167.Purified recombinant fragment of human GLRB (AA: extra 23-160) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	ICC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	56.1kDa

研究背景 (Background)

This gene encodes the beta subunit of the glycine receptor, which is a pentamer composed of alpha and beta subunits. The


产品名称: GLRB Mouse Monoclonal Antibody
产品货号: AMM81924




receptor functions as a neurotransmitter-gated ion channel, which produces hyperpolarization via increased chloride conductance due to the binding of glycine to the receptor. Mutations in this gene cause startle disease, also known as hereditary hyperekplexia or congenital stiff-person syndrome, a disease characterized by muscular rigidity. Alternative splicing results in multiple transcript variants.

研究领域 (Research Area)

图片 (Image Data)




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Immunofluorescence analysis of HeLa cells using GLRB mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher (Cat#: 35503)

产品名称: GLRB Mouse Monoclonal Antibody
产品货号: AMM81924



Flow cytometric analysis of Hela cells using GLRB mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .