

产品名称: FGF2 Mouse Monoclonal Antibody
产品货号: AMM82369



产品概述 (Summary)

产品名称 (Production Name)	FGF2 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	ICC,ELISA
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	FGF2
别名 (Alternative Names)	BFGF; FGFB; FGF-2; HBGF-2
基因 ID (Gene ID)	2247.0
蛋白 ID (SwissProt ID)	P09038.Purified recombinant fragment of human FGF2 (AA: 143-288) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	ICC 1:200-1:1000,ELISA 1:5000-1:20000
蛋白分子量 (Molecular Weight)	30.7kDa

研究背景 (Background)

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind

产品名称: FGF2 Mouse Monoclonal Antibody
产品货号: AMM82369




heparin and possess broad mitogenic and angiogenic activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF.


研究领域 (Research Area)

TGF-beta signaling pathway, PI3K-Akt signaling pathway, MAPK signaling pathway

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Immunofluorescence analysis of HeLa cells using FGF2 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher (Cat#: 35503)

注意事项 (Note)

For research use only .