产品名称: CD40 Mouse Monoclonal Antibody

产品货号: AMM82559



产品概述 (Summary)

产品名称 (Production Name) CD40 Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse

应用 (Application) WB,ELISA,FC

种属反应性 (Reactivity) Human

产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 Monoclonal 克隆 (Clonality) 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide

纯化方式 (Purification) **Affinity Purification**

免疫原信息 (Immunogen)

存放说明 (Storage)

基因名 (Gene Name) **CD40**

别名 (Alternative Names) p50; Bp50; CDW40; TNFRSF5

基因 ID (Gene ID) 958.0

P25942.Purified recombinant fragment of human CD40 (AA: extra(21-193)) 蛋白 ID (SwissProt ID)

expressed in E. Coli.

产品应用(Application)

WB 1:500-1:2000,ELISA 1:5000-1:20000,FC 1:200-1:400 稀释比 (Dilution Ratio)

蛋白分子量 (Molecular Weight) 30.6kDa

研究背景 (Background)

This gene is a member of the TNF-receptor superfamily. The encoded protein is a receptor on antigen-presenting cells of

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技支持) Web: https://www.enkilife.cn Tel: 027-87002838 产品名称: CD40 Mouse Monoclonal Antibody


产品货号: AMM82559




the immune system and is essential for mediating a broad variety of immune and inflammatory responses including T cell-dependent immunoglobulin class switching, memory B cell development, and germinal center formation. AT-hook transcription factor AKNA is reported to coordinately regulate the expression of this receptor and its ligand, which may be important for homotypic cell interactions. Adaptor protein TNFR2 interacts with this receptor and serves as a mediator of the signal transduction. The interaction of this receptor and its ligand is found to be necessary for amyloid-beta-induced microglial activation, and thus is thought to be an early event in Alzheimer disease pathogenesis. Mutations affecting this gene are the cause of autosomal recessive hyper-IgM immunodeficiency type 3 (HIGM3). Multiple alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq, Nov 2014]

研究领域 (Research Area)

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using CD40 mouse mAb against Raji cell lysate.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: CD40 Mouse Monoclonal Antibody

产品货号: AMM82559





Flow cytometric analysis of Raji cells using CD40 mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838