

产品名称: CD210 Mouse Monoclonal Antibody
产品货号: AMM82719



产品概述 (Summary)

产品名称 (Production Name)	CD210 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	ELISA,FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CD210
别名 (Alternative Names)	IL10RA; IL10R; CD210a; CDW210A; HIL-10R; IL-10R1
基因 ID (Gene ID)	3587.0
蛋白 ID (SwissProt ID)	Q13651.Purified recombinant fragment of human CD210 (AA: extra 22-235) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	63kDa

研究背景 (Background)

The protein encoded by this gene is a receptor for interleukin 10. This protein is structurally related to interferon receptors.

产品名称: CD210 Mouse Monoclonal Antibody
产品货号: AMM82719




It has been shown to mediate the immunosuppressive signal of interleukin 10, and thus inhibits the synthesis of proinflammatory cytokines. This receptor is reported to promote survival of progenitor myeloid cells through the insulin receptor substrate-2/PI 3-kinase/AKT pathway. Activation of this receptor leads to tyrosine phosphorylation of JAK1 and TYK2 kinases. Two transcript variants, one protein-coding and the other not protein-coding, have been found for this gene.


研究领域 (Research Area)

TGF-beta signaling pathway, Jak-STAT signaling pathway

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Flow cytometric analysis of THP-1 cells using CD210 mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only .