产品货号: AMM82795



## 产品概述 (Summary)

产品名称 (Production Name) P4HB Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host) Mouse

**应用 (Application)** WB,IHC,ICC,ELISA,FC

种属反应性 (Reactivity) Human

# 产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG2a 克隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide

纯化方式 (Purification) Affinity Purification

# 免疫原信息 (Immunogen)

基因名 (Gene Name) P4HB

别名 (Alternative Names) DSI,GIT, PDI,PHDB, PDIA1,PO4DB, PO4HB,PROHB,CLCRP1, ERBA2L,P4Hbeta

基因 ID (Gene ID) 5034.0

P07237.Purified recombinant fragment of human P4HB (AA:309-508) 蛋白ID (SwissProt ID)

expressed in mammalian.

## 产品应用 (Application)

WB 1:500-1:2000,IHC 1:200-1:1000,ICC 1:200-1:1000,ELISA 1:5000-1:20000,FC **稀释比 (Dilution Ratio)** 

1:200-1:400

蛋白分子量 (Molecular Weight) 57.1kDa

# 研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838


产品货号: AMM82795




This gene encodes the beta subunit of prolyl 4-hydroxylase, a highly abundant multifunctional enzyme that belongs to the protein disulfide isomerase family. When present as a tetramer consisting of two alpha and two beta subunits, this enzyme is involved in hydroxylation of prolyl residues in preprocollagen. This enzyme is also a disulfide isomerase containing two thioredoxin domains that catalyze the formation, breakage and rearrangement of disulfide bonds. Other known functions include its ability to act as a chaperone that inhibits aggregation of misfolded proteins in a concentration-dependent manner, its ability to bind thyroid hormone, its role in both the influx and efflux of S-nitrosothiol-bound nitric oxide, and its function as a subunit of the microsomal triglyceride transfer protein complex. [provided by RefSeq, Jul 2008]

### 研究领域 (Research Area)

### 图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using P4HB mouse mAb against Hela (1), PANC-1 (2), MCF-7 (3), THP-1 (4), SW620 (5) and HepG2(6) cell lysate.


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品货号: AMM82795






Immunofluorescence analysis of Hela cells using P4HB mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher (Cat#: 35503)




Flow cytometric analysis of Hela cells using P4HB mouse mAb (green) and negative control (red).




Flow cytometric analysis of HepG2 cells using P4HB mouse mAb (green) and negative control (red).

产品货号: AMM82795





Immunohistochemical analysis of paraffin-embedded human ovarian cancer tissues using P4HB mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded human rectal cancer tissues using P4HB mouse mAb with DAB staining.

# 注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838