产品名称: TLR7 Mouse Monoclonal Antibody

产品货号: AMM82811



产品概述 (Summary)

产品名称 (Production Name) TLR7 Mouse Monoclonal Antibody

描述 (**Description**) Mouse monoclonal Antibody

宿主 (Host)Mouse应用 (Application)ELISA,FC种属反应性 (Reactivity)Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) TLR7

別名 (Alternative Names) IMD74; TLR7-like

基因 ID (Gene ID) 51284.0

Q9NYK1.Purified recombinant fragment of human TLR7 (AA: 420-644) 蛋白ID (SwissProt ID)

expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) ELISA 1:5000-1:20000,FC 1:200-1:400

蛋白分子量 (Molecular Weight) 120kDa

研究背景 (Background)

The protein encoded by this gene is a member of the Toll-like receptor (TLR) family which plays a fundamental role in

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: TLR7 Mouse Monoclonal Antibody


产品货号: AMM82811




pathogen recognition and activation of innate immunity. TLRs are highly conserved from Drosophila to humans and share structural and functional similarities. The human TLR family comprises 11 members. They recognize pathogen-associated molecular patterns (PAMPs) that are expressed on infectious agents, and mediate the production of cytokines necessary for the development of effective immunity. For the recognition of structural components in foreign microorganisms, the various TLRs exhibit different patterns of expression as well; in this way for example, TLR-3, -7, and -8 are essential in the recognition of single-stranded RNA viruses. TLR7 senses single-stranded RNA oligonucleotides containing guanosine- and uridine-rich sequences from RNA viruses, a recognition occuring in the endosomes of plasmacytoid dendritic cells and B cells. This gene is predominantly expressed in lung, placenta, and spleen, and is phylogenetically related and lies in close proximity to another family member, TLR8, on chromosome X.

研究领域 (Research Area)

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Flow cytometric analysis of THP-1 cells using TLR7 mouse mAb (green) and negative control (red).

注意事项(Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: TLR7 Mouse Monoclonal Antibody

产品货号: AMM82811



Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838