产品名称: CD160 Mouse Monoclonal Antibody

产品货号: AMM82868



产品概述 (Summary)

产品名称 (Production Name) CD160 Mouse Monoclonal Antibody

描述 (Description) Mouse monoclonal Antibody

宿主 (Host)Mouse应用 (Application)ELISA,FC种属反应性 (Reactivity)Human

产品性能 (Performance)

個联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified 同种型 (Isotype) Mouse IgG1 充隆 (Clonality) Monoclonal Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) Purified antibody in PBS with 0.05% sodium azide

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) CD160

別名 (Alternative Names) NK1; BY55; NK28

基因 ID (Gene ID) 11126.0

O95971 .Purified recombinant fragment of human CD160 (AA: 25-155) 蛋白ID (SwissProt ID)

expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio) ELISA 1:5000-1:20000,FC 1:200-1:400

蛋白分子量 (Molecular Weight) 19.8kDa

研究背景 (Background)

CD160 is an 27 kDa glycoprotein which was initially identified with the monoclonal antibody BY55. Its expression is tightly

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: CD160 Mouse Monoclonal Antibody


产品货号: AMM82868




associated with peripheral blood NK cells and CD8 T lymphocytes with cytolytic effector activity. The cDNA sequence of CD160 predicts a cysteine-rich, glycosylphosphatidylinositol-anchored protein of 181 amino acids with a single Ig-like domain weakly homologous to KIR2DL4 molecule. CD160 is expressed at the cell surface as a tightly disulfide-linked multimer. RNA blot analysis revealed CD160 mRNAs of 1.5 and 1.6 kb whose expression was highly restricted to circulating NK and T cells, spleen and small intestine. Within NK cells CD160 is expressed by CD56dimCD16+ cells whereas among circulating T cells its expression is mainly restricted to TCRgd bearing cells and to TCRab+CD8brightCD95+CD56+CD28-CD27-cells. In tissues, CD160 is expressed on all intestinal intraepithelial lymphocytes. CD160 shows a broad specificity for binding to both classical and nonclassical MHC class I molecules.

研究领域 (Research Area)

图片 (Image Data)



Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Flow cytometric analysis of Jurkat cells using CD160 mouse mAb (green) and negative control (red).

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838