

产品名称: CD33 Mouse Monoclonal Antibody
产品货号: AMM83072



产品概述 (Summary)

产品名称 (Production Name)	CD33 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	IHC,ELISA,FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	PBS containing 0.03% sodium azide.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CD33
别名 (Alternative Names)	p67; SIGLEC3; SIGLEC-3
基因 ID (Gene ID)	945.0
蛋白 ID (SwissProt ID)	P20138.Purified recombinant fragment of human CD33 (AA: 15-237) expressed in E. Coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400
蛋白分子量 (Molecular Weight)	39.8kDa

研究背景 (Background)

The protein encoded by this gene belongs to putative adhesion molecule of myelomonocytic-derived cells that mediates


产品名称: CD33 Mouse Monoclonal Antibody
产品货号: AMM83072



sialic-acid dependent binding to cells. Preferentially binds to alpha-2,6-linked sialic acid. The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface. In the immune response, may act as an inhibitory receptor upon ligand induced tyrosine phosphorylation by recruiting cytoplasmic phosphatase(s) via their SH2 domain(s) that block signal transduction through dephosphorylation of signaling molecules. Induces apoptosis in acute myeloid leukemia (in vitro) and CD33 plays potential key roles in the pathogenesis of Alzheimer's disease (AD)

研究领域 (Research Area)

图片 (Image Data)



Red: Control Antigen (100ng)

注意事项 (Note)

For research use only .