

产品名称: CD1a Mouse Monoclonal Antibody
产品货号: AMM84941



产品概述 (Summary)

产品名称 (Production Name)	CD1a Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	IHC
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide,0.5%protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CD1a
别名 (Alternative Names)	CD1A; T-cell surface glycoprotein CD1a; T-cell surface antigen T6/Leu-6; hTa1 thymocyte antigen; CD antigen CD1a
基因 ID (Gene ID)	909.0
蛋白 ID (SwissProt ID)	P06126.Synthetic peptide conjugated to KLH.

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	/

研究背景 (Background)


产品名称: CD1a Mouse Monoclonal Antibody
产品货号: AMM84941




Antigen-presenting protein that binds self and non-self lipid and glycolipid antigens and presents them to T-cell receptors on natural killer T-cells.

研究领域 (Research Area)


图片 (Image Data)



Immunofluorescence analysis of CD1a in mouse heart tissue using CD1a antibody(9H6)(red),and DAPI (blue).



Immunohistochemistry analysis of paraffin-embedded Human Tonsil tissue using CD1a antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.Negative control was used by secondary antibody only.




Immunohistochemical analysis of paraffin-embedded Human tonsils using CD1a antibody.High-pressure and temperature


产品名称: CD1a Mouse Monoclonal Antibody
产品货号: AMM84941



Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded mouse heart tissue using CD1a antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded Human tonsils using CD1a antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .