

产品名称: Hsc70 Mouse Monoclonal Antibody
产品货号: AMM84985



产品概述 (Summary)

产品名称 (Production Name)	Hsc70 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB,IHC
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide,0.5%protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	Hsc70
别名 (Alternative Names)	Heat shock cognate 71 kDa protein (Heat shock 70 kDa protein 8)
基因 ID (Gene ID)	3312.0
蛋白 ID (SwissProt ID)	P11142.Purified recombinant protein expressed in E.coli.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW: 71 kDa; Observed MW: 71 kDa

研究背景 (Background)

Acts as a repressor of transcriptional activation. Inhibits the transcriptional coactivator activity of CITED1 on Smad-

产品名称: Hsc70 Mouse Monoclonal Antibody
产品货号: AMM84985




mediated transcription. Chaperone. Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing.


研究领域 (Research Area)

Autophagy, MAPK signaling pathway

图片 (Image Data)



Western blot analysis of Hsc70 in HeLa, A549, HL-60, U2OS, C6 lysates using Hsc70 antibody



Immunohistochemistry analysis of paraffin-embedded Human Breast Carcinoma using Hsc70 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .