

产品名称: DDIT3 Mouse Monoclonal Antibody
产品货号: AMM85032



产品概述 (Summary)

产品名称 (Production Name)	DDIT3 Mouse Monoclonal Antibody
描述 (Description)	Mouse monoclonal Antibody
宿主 (Host)	Mouse
应用 (Application)	WB,IHC,ICC
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	Mouse IgG1
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in PBS with 0.05% sodium azide,0.5%protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	DDIT3 DDIT3; CHOP; CHOP10; GADD153; DNA damage-inducible transcript 3 protein; DDIT-3; C/EBP-homologous protein; CHOP; C/EBP-homologous protein 10; CHOP-10; Growth arrest and DNA damage-inducible protein GADD153
别名 (Alternative Names)	
基因 ID (Gene ID)	1649.0
蛋白 ID (SwissProt ID)	P35638.Synthetic peptide conjugated to KLH.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100,ICC 1:50-1:200
蛋白分子量 (Molecular Weight)	Calculated MW: 19 kDa; Observed MW: 27 kDa

产品名称: DDIT3 Mouse Monoclonal Antibody
产品货号: AMM85032




研究背景 (Background)

Inhibits the DNA-binding activity of C/EBP and LAP by forming heterodimers that cannot bind DNA.


研究领域 (Research Area)

Apoptosis,Wnt signaling pathway,MAPK signaling pathway


图片 (Image Data)



Western blot analysis of DDIT3 in mouse Liver lysates using DDIT3 antibody.



Immunofluorescence analysis of DDIT3 in mouse brain tissue using DDIT3 antibody(red),and DAPI (blue).




Immunohistochemistry analysis of paraffin-embedded Human stomach tissue using DDIT3 antibody.High-pressure and


产品名称: DDIT3 Mouse Monoclonal Antibody
产品货号: AMM85032



temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.



Immunohistochemistry analysis of paraffin-embedded Human Stomach Carcinoma Tissue using CHOP antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human Pancreas Carcinoma Tissue using CHOP antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .