

产品名称: ATG4C Rabbit Polyclonal Antibody
产品货号: APRab00200



产品概述 (Summary)

产品名称 (Production Name)	ATG4C Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
纯化方式 (Purification)	Affinity Chromatography

免疫原信息 (Immunogen)

基因名 (Gene Name)	ATG4C ATG4C; APG4C; AUTL1; AUTL3; Cysteine protease ATG4C; AUT-like 3 cysteine endopeptidase; Autophagin-3; Autophagy-related cysteine endopeptidase 3; Autophagy-related protein 4 homolog C
别名 (Alternative Names)	
基因 ID (Gene ID)	84938
蛋白 ID (SwissProt ID)	Q96DT6.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100,FC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW: 52 kDa; Observed MW: 52 kDa

产品名称: ATG4C Rabbit Polyclonal Antibody
产品货号: APRab00200




研究背景 (Background)

Cysteine protease required for autophagy, which cleaves the C-terminal part of either MAP1LC3, GABARAPL2 or GABARAP, allowing the liberation of form I. A subpopulation of form I is subsequently converted to a smaller form (form II). Form II, with a revealed C-terminal glycine, is considered to be the phosphatidylethanolamine (PE)-conjugated form, and has the capacity for the binding to autophagosomes.

研究领域 (Research Area)

Cell Biology

图片 (Image Data)



Western blot analysis of Atg4C in Jurkat lysates using ATG4C antibody.

注意事项 (Note)

For research use only .