

产品名称: Phospho-4E BP1 (Thr70) Rabbit Polyclonal Antibody
产品货号: APRab00910



产品概述 (Summary)

产品名称 (Production Name)	Phospho-4E BP1 (Thr70) Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	IHC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Phosphorylated
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% sodium azide, pH 7.3.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	EIF4EBP1
别名 (Alternative Names)	EIF4EBP1; Eukaryotic translation initiation factor 4E-binding protein 1; 4E-BP1; eIF4E-binding protein 1; Phosphorylated heat- and acid-stable protein regulated by insulin 1; PHAS-I
基因 ID (Gene ID)	1978
蛋白 ID (SwissProt ID)	Q13541.

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	-

产品名称: Phospho-4E BP1 (Thr70) Rabbit Polyclonal Antibody
产品货号: APRab00910




研究背景 (Background)

Translation repressor protein 4E-BP1 (also known as PHAS-1) inhibits cap-dependent translation by binding to the translation initiation factor eIF4E. Hyperphosphorylation of 4E-BP1 disrupts this interaction and results in activation of cap-dependent translation. Both the PI3 kinase/Akt pathway and FRAP/mTOR kinase regulate 4E-BP1 activity.

研究领域 (Research Area)

Epigenetics and Nuclear Signaling

图片 (Image Data)



Immunohistochemistry analysis of paraffin-embedded Human colon carcinoma tissue using Phospho-4E BP1 (Thr70) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Sample with blocking peptide on the right.

注意事项 (Note)

For research use only .