产品名称: MEK-7 (phospho Thr275) Rabbit Polyclonal

Antibody

产品货号: APRab05013



# 产品概述 (Summary)

产品名称 (Production Name) MEK-7 (phospho Thr275) Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse,Rat

## 产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Phosphorylated

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

**纯化方式 (Purification)** Affinity purification

# 免疫原信息 (Immunogen)

别名 (Alternative Names)

基因名 (Gene Name) MAP2K7

MAP2K7; JNKK2; MEK7; MKK7; PRKMK7; SKK4; Dual specificity mitogen-

activated protein kinase kinase 7; MAP kinase kinase 7; MAPKK 7; JNK-

activating kinase 2; MAPK/ERK kinase 7; MEK 7; Stress-activated protein kinase

kinase 4; SAPK kinase 4; S

基因 ID (Gene ID) 5609.0

O14733.The antiserum was produced against synthesized peptide derived

蛋白ID (SwissProt ID) from human MAP2K7 around the phosphorylation site of Thr275. AA

range:241-290

# 产品应用(Application)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: MEK-7 (phospho Thr275) Rabbit Polyclonal



产品货号: APRab05013



**稀释比 (Dilution Ratio)** WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000

**蛋白分子量 (Molecular Weight)** 43kDa


## 研究背景 (Background)

The protein encoded by this gene is a dual specificity protein kinase that belongs to the MAP kinase kinase family. This kinase specifically activates MAPK8/JNK1 and MAPK9/JNK2, and this kinase itself is phosphorylated and activated by MAP kinase kinases including MAP3K1/MEKK1, MAP3K2/MEKK2, MAP3K3/MEKK5, and MAP4K2/GCK. This kinase is involved in the signal transduction mediating the cell responses to proinflammatory cytokines, and environmental stresses. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014], catalytic activity:ATP + a protein = ADP + a phosphoprotein., cofactor: Magnesium., enzyme regulation: Activated by phosphorylation by specific MAP kinase kinase kinases such as MAP3K1/MEKK1, MAP3K3/MEKK3, MAP3K11/MLK3 and MAP3K12/DLK., function: Stress activated, dual specificity kinase that activates the JUN kinases MAPK8/JNK1, MAPK9/JNK2 and MAPK10/JNK3., PTM: Activated by phosphorylation on Ser/Thr., similarity: Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. MAP kinase kinase subfamily., similarity: Contains 1 protein kinase domain., tissue specificity: Ubiquitous; with highest level of expression in skeletal muscle. Isoform 3 is found at low levels in placenta, fetal liver, and skeletal muscle.

#### 研究领域 (Research Area)

MAPK\_ERK\_Growth;MAPK\_G\_Protein;ErbB\_HER;Toll\_Like;T\_Cell\_Receptor;Fc epsilon RI;Neurotrophin;GnRH;

#### 图片 (Image Data)



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using MAP2K7 (Phospho-Thr275) Antibody


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: MEK-7 (phospho Thr275) Rabbit Polyclonal

**Antibody** 

产品货号: APRab05013





Western blot analysis of lysates from HeLa cells treated with calyculinA 50ng/ml 30 ', using MAP2K7 (Phospho-Thr275)

Antibody. The lane on the right is blocked with the phospho peptide.

#### 注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838