

产品名称: NMDA ϵ 2 (phospho Ser1303) Rabbit Polyclonal Antibody
产品货号: APRab05114



产品概述 (Summary)

产品名称 (Production Name)	NMDA ϵ 2 (phospho Ser1303) Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,ELISA
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Phosphorylated
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	GRIN2B
别名 (Alternative Names)	GRIN2B; NMDAR2B; Glutamate [NMDA] receptor subunit epsilon-2; N-methyl D-aspartate receptor subtype 2B; NMDAR2B; NR2B; N-methyl-D-aspartate receptor subunit 3; NR3; hNR3
基因 ID (Gene ID)	2904.0
蛋白 ID (SwissProt ID)	Q13224.The antiserum was produced against synthesized peptide derived from human GRIN2B around the phosphorylation site of Ser1303. AA range:1269-1318

产品应用 (Application)

产品名称: NMDA ϵ 2 (phospho Ser1303) Rabbit Polyclonal Antibody
产品货号: APRab05114



稀释比 (Dilution Ratio) WB 1:500-1:2000, ELISA 1:20000-1:40000
蛋白分子量 (Molecular Weight) 170kDa


研究背景 (Background)

N-methyl-D-aspartate (NMDA) receptors are a class of ionotropic glutamate receptors. NMDA receptor channel has been shown to be involved in long-term potentiation, an activity-dependent increase in the efficiency of synaptic transmission thought to underlie certain kinds of memory and learning. NMDA receptor channels are heteromers composed of three different subunits: NR1 (GRIN1), NR2 (GRIN2A, GRIN2B, GRIN2C, or GRIN2D) and NR3 (GRIN3A or GRIN3B). The NR2 subunit acts as the agonist binding site for glutamate. This receptor is the predominant excitatory neurotransmitter receptor in the mammalian brain. [provided by RefSeq, Jul 2008], function: NMDA receptor subtype of glutamate-gated ion channels with high calcium permeability and voltage-dependent sensitivity to magnesium. Mediated by glycine., similarity: Belongs to the glutamate-gated ion channel (TC 1.A.10) family., subunit: Forms heteromeric channel of a zeta subunit (GRIN1), a epsilon subunit (GRIN2A, GRIN2B, GRIN2C or GRIN2D) and a third subunit (GRIN3A or GRIN3B). Found in a complex with GRIN1 and GRIN3B. Found in a complex with GRIN1, GRIN3A and PPP2CB. Interacts with PDZ domains of INADL and DLG4. Interacts with HIP1 (By similarity). Interacts with MAGI3., tissue specificity: Primarily found in the fronto-parieto-temporal cortex and hippocampus pyramidal cells, lower expression in the basal ganglia.,

研究领域 (Research Area)

Neuroactive ligand-receptor interaction; Long-term potentiation; Alzheimer's disease; Amyotrophic lateral sclerosis (ALS); Huntington's disease; Systemic lupus erythematosus;

图片 (Image Data)



Western blot analysis of GRIN2B (Phospho-Ser1303) Antibody. The lane on the right is blocked with the GRIN2B (Phospho-Ser1303) peptide.

注意事项 (Note)

For research use only .

产品名称: NMDA ϵ 2 (phospho Ser1303) Rabbit Polyclonal
Antibody
产品货号: APRab05114

