产品名称: Smad1 (phospho Ser187) Rabbit Polyclonal

Antibody

产品货号: APRab05436



### 产品概述 (Summary)

产品名称 (Production Name) Smad1 (phospho Ser187) Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse,Monkey

### 产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Phosphorylated

同种型 (Isotype) lgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

### 免疫原信息 (Immunogen)

别名 (Alternative Names)

基因名 (Gene Name) SMAD1

SMAD1; BSP1; MADH1; MADR1; Mothers against decapentaplegic homolog 1;

MAD homolog 1; Mothers against DPP homolog 1; JV4-1; Mad-related protein

1; SMAD family member 1; SMAD 1; Smad1; hSMAD1; Transforming growth

factor-beta-signaling protein

基因 ID (Gene ID) 4086.0

Q15797.The antiserum was produced against synthesized peptide derived

蛋白ID (SwissProt ID) from human Smad1 around the phosphorylation site of Ser187. AA range:153-

202

# 产品应用(Application)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Smad1 (phospho Ser187) Rabbit Polyclonal



产品货号: APRab05436



稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 60kDa


#### 研究背景 (Background)

The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signals of the bone morphogenetic proteins (BMPs), which are involved in a range of biological activities including cell growth, apoptosis, morphogenesis, development and immune responses. In response to BMP ligands, this protein can be phosphorylated and activated by the BMP receptor kinase. The phosphorylated form of this protein forms a complex with SMAD4, which is important for its function in the transcription regulation. This protein is a target for SMAD-specific E3 ubiquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasomemedfunction:Transcriptional modulator activated by BMP (bone morphogenetic proteins) type 1 receptor kinase. SMAD1 is a receptor-regulated SMAD (R-SMAD), PTM: Phosphorylated on serine by BMP type 1 receptor kinase, PTM: Ubiquitinmediated proteolysis by SMAD-specific E3 ubiquitin ligase SMURF1, similarity: Belongs to the dwarfin/SMAD family,, similarity: Contains 1 MH1 (MAD homology 1) domain., similarity: Contains 1 MH2 (MAD homology 2) domain., subcellular location: Cytoplasmic in the absence of ligand. Migrates to the nucleus when complexed with SMAD4., subunit: Interacts with HGS, NANOG and ZCCHC12 (By similarity). May form trimers with another SMAD1 and the co-SMAD SMAD4. Interacts with PEBP2-alpha subunit, CREB-binding protein (CBP), p300, SMURF1, SMURF2 and HOXC8. Associates with ZNF423 or ZNF521 in response to BMP2 leading to activate transcription of BMP target genes. Interacts with LBXCOR1, tissue specificity: Ubiquitous. Highest expression seen in the heart and skeletal muscle.,

#### 研究领域 (Research Area)

TGF-beta;

## 图片 (Image Data)



Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838


产品名称: Smad1 (phospho Ser187) Rabbit Polyclonal



产品货号: APRab05436




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Smad1 (Phospho-Ser187) Antibody



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Smad1 (Phospho-Ser187)

Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from 293 cells and HepG2 cells, using Smad1 (Phospho-Ser187) Antibody. The lane on the right is blocked with the phospho peptide.

### 注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838