

产品名称: AKAP6 Rabbit Polyclonal Antibody
产品货号: APRab06729



产品概述 (Summary)

产品名称 (Production Name)	AKAP6 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	IHC, ICC/IF
种属反应性 (Reactivity)	Human, Rat, Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	AKAP6
别名 (Alternative Names)	AKAP100 KIAA0311
基因 ID (Gene ID)	9472.0
蛋白 ID (SwissProt ID)	Q13023.Synthesized peptide derived from human protein . at AA range: 30-110

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:50-1:300, ICC/IF 1:50-1:200
蛋白分子量 (Molecular Weight)	255kDa

研究背景 (Background)

The A-kinase anchor proteins (AKAPs) are a group of structurally diverse proteins, which have the common function of


产品名称: AKAP6 Rabbit Polyclonal Antibody
产品货号: APRab06729



binding to the regulatory subunit of protein kinase A (PKA) and confining the holoenzyme to discrete locations within the cell. This gene encodes a member of the AKAP family. The encoded protein is highly expressed in various brain regions and cardiac and skeletal muscle. It is specifically localized to the sarcoplasmic reticulum and nuclear membrane, and is involved in anchoring PKA to the nuclear membrane or sarcoplasmic reticulum. [provided by RefSeq, Jul 2008],domain:RII-alpha binding site, predicted to form an amphipathic helix, could participate in protein-protein interactions with a complementary surface on the R-subunit dimer.,function:Binds to type II regulatory subunits of protein kinase A and anchors/targets them to the nuclear membrane or sarcoplasmic reticulum. May act as an adapter for assembling multiprotein complexes.,similarity:Contains 2 spectrin repeats.,subcellular location:In heart muscle. Participation of multiple targeting signals allow correct intracellular targeting. These may be repeated motifs rich in basic and hydrophobic amino acids, palmitoylated/myristoylated motifs or alternatively splice targeting sequences.,subunit:Interacts with RII subunit of PKA, phosphatase 2B (calcineurin) and AKAP79.,tissue specificity:Highly expressed in cardiac and skeletal muscle, followed by brain.,

研究领域 (Research Area)

图片 (Image Data)



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200 (4° overnight) . 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200 (room temperature, 30min) .

注意事项 (Note)

For research use only .