

产品名称: B4GT7 Rabbit Polyclonal Antibody
产品货号: APRab07414



产品概述 (Summary)

产品名称 (Production Name)	B4GT7 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,ELISA
种属反应性 (Reactivity)	Human,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	B4GALT7 XGALT1 UNQ748/PRO1478
别名 (Alternative Names)	
基因 ID (Gene ID)	11285.0
蛋白 ID (SwissProt ID)	Q9UBV7.Synthesized peptide derived from part region of human protein

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,ELISA 1:5000-1:20000
蛋白分子量 (Molecular Weight)	35kDa

研究背景 (Background)

This gene is a member of the beta-1,4-galactosyltransferase (beta4GalT) family. Family members encode type II membrane-bound glycoproteins that appear to have exclusive specificity for the donor substrate UDP-galactose. Each beta4GalT


产品名称: B4GT7 Rabbit Polyclonal Antibody
产品货号: AP Rab07414

member has a distinct function in the biosynthesis of different glycoconjugates and saccharide structures. As type II membrane proteins, they have an N-terminal hydrophobic signal sequence that directs the protein to the Golgi apparatus which then remains uncleaved to function as a transmembrane anchor. The enzyme encoded by this gene attaches the first galactose in the common carbohydrate-protein linkage (GlcA-beta1,3-Gal-beta1,3-Gal-beta1,4-Xyl-beta1-O-Ser) found in proteoglycans. This enzyme differs from other beta4GalTs because it lacks the conserved Cys residues found in beta4GalT1-beta4GalT6 and it is located in cis-Golgi instead of trans-Golgi. Mcatalytic activity:UDP-galactose + O-beta-D-xylosylprotein = UDP + 4-beta-D-galactosyl-O-beta-D-xylosylprotein.,cofactor:Manganese.,disease:Defects in B4GALT7 are the cause of progeroid Ehlers-Danlos syndrome (EDS) [MIM:130070]. EDSP is a variant form of Ehlers-Danlos syndrome characterized by progeroid facies, mild mental retardation, short stature, skin hyperextensibility, moderate skin fragility, joint hypermobility principally in digits.,function:Required for the biosynthesis of the tetrasaccharide linkage region of proteoglycans, especially for small proteoglycans in skin fibroblasts.,online information:Beta-1,4-galactosyltransferase 7,online information:GlycoGene database,pathway:Protein modification; protein glycosylation.,similarity:Belongs to the glycosyltransferase 7 family.,subcellular location:Cis cisternae of Golgi stack.,tissue specificity:High expression in heart, pancreas and liver, medium in placenta and kidney, low in brain, skeletal muscle and lung.,

研究领域 (Research Area)

Chondroitin sulfate biosynthesis;Heparan sulfate biosynthesis;

图片 (Image Data)



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4° over night

注意事项 (Note)

For research use only .