

产品名称: BinCARD Rabbit Polyclonal Antibody
产品货号: APRab07567



产品概述 (Summary)

产品名称 (Production Name)	BinCARD Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	IHC, ICC, IF, ELISA
种属反应性 (Reactivity)	Human, Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	C9orf89
别名 (Alternative Names)	C9orf89; Bcl10-interacting CARD protein; BinCARD
基因 ID (Gene ID)	84270.0
蛋白 ID (SwissProt ID)	Q96LW7. The antiserum was produced against synthesized peptide derived from human C9orf89. AA range: 21-70

产品应用 (Application)

稀释比 (Dilution Ratio)	IHC 1:100-1:300, ICC/IF 1:50-1:200, ELISA 1:20000-1:40000
蛋白分子量 (Molecular Weight)	

研究背景 (Background)


产品名称: BinCARD Rabbit Polyclonal Antibody
产品货号: APRab07567



function: Plays a role in inhibiting the effects of BCL10-induced activation of NF-kappa-B. May inhibit the phosphorylation of BCL10 in a CARD-dependent manner., PTM: Isoform 2 is phosphorylated upon DNA damage, probably by ATM or ATR., similarity: Contains 1 CARD domain., subcellular location: Co-expression with BCL10 induced translocation from nucleus to cytosol., subunit: Associates with BCL10 by CARD-CARD interaction., tissue specificity: Expressed in ovary, testis, placenta, skeletal muscle, kidney, lung, heart and liver (at protein level). Expressed in thymus and brain., function: Plays a role in inhibiting the effects of BCL10-induced activation of NF-kappa-B. May inhibit the phosphorylation of BCL10 in a CARD-dependent manner., PTM: Isoform 2 is phosphorylated upon DNA damage, probably by ATM or ATR., similarity: Contains 1 CARD domain., subcellular location: Co-expression with BCL10 induced translocation from nucleus to cytosol., subunit: Associates with BCL10 by CARD-CARD interaction., tissue specificity: Expressed in ovary, testis, placenta, skeletal muscle, kidney, lung, heart and liver (at protein level). Expressed in thymus and brain.,

研究领域 (Research Area)

图片 (Image Data)



Immunohistochemistry analysis of paraffin-embedded human thyroid gland tissue, using C9orf89 Antibody. The picture on the right is blocked with the synthesized peptide.

注意事项 (Note)

For research use only .