产品名称: BRSK1 Rabbit Polyclonal Antibody

产品货号: APRab07668



## 产品概述 (Summary)

产品名称 (Production Name) BRSK1 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse

### 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

## 免疫原信息 (Immunogen)

基因名 (Gene Name) BRSK1

BRSK1; KIAA1811; SAD1; SADB; Serine/threonine-protein kinase BRSK1; Brain-

selective kinase 1; Brain-specific serine/threonine-protein kinase 1; BR

别名 (Alternative Names)

serine/threonine-protein kinase 1; Serine/threonine-protein kinase SAD-B;

serine/tilleonine-protein killase 1, Serine/tilleonine-protein killase SAD-b,

Synapses of Amphids

基因 ID (Gene ID) 84446.0

Q8TDC3.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human BRSK1. AA range:361-410

产品应用(Application)

**稀释比 (Dilution Ratio)** WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:10000

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: BRSK1 Rabbit Polyclonal Antibody

产品货号: APRab07668



**蛋白分子量 (Molecular Weight)** 87kDa

#### 研究背景 (Background)

catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,enzyme regulation:Activated by phosphorylation on Thr-205 by STK11 in complex with STE20-related adapter-alpha (STRAD alpha) pseudo kinase and CAB39, function: Required for the polarization of forebrain neurons which endows axons and dendrites with distinct properties, possibly by locally regulating phosphorylation of microtubule-associated proteins (By similarity). May be involved in the regulation of G2/M arrest in response to UV- or methyl methane sulfonate (MMS)-induced, but not IRinduced, DNA damage. Phosphorylates WEE1 and CDC25B in vitro and CDC25C in vitro and in vivo, similarity: Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family. AMPK subfamily., similarity: Contains 1 protein kinase domain., similarity: Contains 1 UBA domain., subcellular location: Nuclear in the absence of DNA damage. Translocated to the nucleus in response to UV- or MMS-induced DNA damage., tissue specificity: Widely expressed, with highest levels in brain and testis. Protein levels remain constant throughout the cell cycle, catalytic activity: ATP + a protein = ADP + a phosphoprotein,,cofactor:Magnesium,,enzyme regulation:Activated by phosphorylation on Thr-205 by STK11 in complex with STE20-related adapter-alpha (STRAD alpha) pseudo kinase and CAB39., function: Required for the polarization of forebrain neurons which endows axons and dendrites with distinct properties, possibly by locally regulating phosphorylation of microtubule-associated proteins (By similarity). May be involved in the regulation of G2/M arrest in response to UV- or methyl methane sulfonate (MMS)-induced, but not IR-induced, DNA damage. Phosphorylates WEE1 and CDC25B in vitro and CDC25C in vitro and in vivo, similarity: Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family. AMPK subfamily., similarity: Contains 1 protein kinase domain., similarity: Contains 1 UBA domain.,subcellular location: Nuclear in the absence of DNA damage. Translocated to the nucleus in response to UV- or MMS-induced DNA damage, tissue specificity: Widely expressed, with highest levels in brain and testis. Protein levels remain constant throughout the cell cycle.,

研究领域(Research Area)


图片 (Image Data)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838


产品名称: BRSK1 Rabbit Polyclonal Antibody

产品货号: APRab07668






Western blot analysis of lysates from 293 cells, using BRSK1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from COLO205 cells using BRSK1 antibody.



Western Blot analysis of various cells using BRSK1 Polyclonal Antibody

# 注意事项 (Note)

For research use only .