

产品货号: APRab07942



产品概述 (Summary)

产品名称 (Production Name) Casein Kinase Iα Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) CSNK1A1

别名 (Alternative Names) CSNK1A1; Casein kinase I isoform alpha; CKI-alpha; CK1

基因 ID (Gene ID) 1452.0

P48729.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human CKI-alpha. AA range:126-175

产品应用(Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:200-1:1000,ELISA 1:10000-1:20000

蛋白分子量 (Molecular Weight) 35kDa

研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品货号: APRab07942




catalytic activity:ATP + a protein = ADP + a phosphoprotein.,function:Casein kinases are operationally defined by their preferential utilization of acidic proteins such as caseins as substrates. It can phosphorylate a large number of proteins. Participates in Wnt signaling. Phosphorylates CTNNB1 on 'Ser-45', similarity: Belongs to the protein kinase superfamily., similarity: Belongs to the protein kinase superfamily. CK1 Ser/Thr protein kinase family. Casein kinase I subfamily, similarity: Contains 1 protein kinase domain, subunit: Monomer. Interacts with the Axin complex, catalytic activity:ATP + a protein = ADP + a phosphoprotein, function: Casein kinases are operationally defined by their preferential utilization of acidic proteins such as caseins as substrates. It can phosphorylate a large number of proteins. Participates in Wnt signaling. Phosphorylates CTNNB1 on 'Ser-45', similarity: Belongs to the protein kinase superfamily, similarity: Belongs to the protein kinase superfamily. CK1 Ser/Thr protein kinase family. Casein kinase I subfamily., similarity: Contains 1 protein kinase domain., subunit: Monomer. Interacts with the Axin complex.,


研究领域(Research Area)

WNT;WNT-T CELLHedgehog;

图片 (Image Data)



Immunofluorescence analysis of HeLa cells, using CKI-alpha Antibody. The picture on the right is blocked with the synthesized peptide.




Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using CKI-alpha Antibody. The picture on the right is blocked with the synthesized peptide.

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Web: https://www.enkilife.cn Tel: 027-87002838


产品名称: Casein Kinase Ια Rabbit Polyclonal Antibody

产品货号: APRab07942






Western blot analysis of lysates from HeLa cells, using CKI-alpha Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HT-29 cells using CKI- α antibody.



Western Blot analysis of various cells using Casein Kinase Ia Polyclonal Antibody

注意事项 (Note)

For research use only .