

产品名称: CCRL2 Rabbit Polyclonal Antibody
产品货号: APRab08168



产品概述 (Summary)

产品名称 (Production Name)	CCRL2 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB, ICC/IF, ELISA
种属反应性 (Reactivity)	Human, Rat, Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CCRL2 CCRL2; CCR11; CCR6; CKRX; CCRAM; HCR; C-C chemokine receptor-like 2;
别名 (Alternative Names)	Chemokine receptor CCR11; Chemokine receptor X; Putative MCP-1 chemokine receptor
基因 ID (Gene ID)	9034.0
蛋白 ID (SwissProt ID)	O00421. The antiserum was produced against synthesized peptide derived from human CCRL2. AA range: 141-190

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000, ICC/IF 1:200-1:1000, ELISA 1:10000-1:20000
蛋白分子量 (Molecular Weight)	40kDa

产品名称: CCRL2 Rabbit Polyclonal Antibody
产品货号: APRab08168




研究背景 (Background)


This gene encodes a chemokine receptor like protein, which is predicted to be a seven transmembrane protein and most closely related to CCR1. Chemokines and their receptors mediated signal transduction are critical for the recruitment of effector immune cells to the site of inflammation. This gene is expressed at high levels in primary neutrophils and primary monocytes, and is further upregulated on neutrophil activation and during monocyte to macrophage differentiation. The function of this gene is unknown. This gene is mapped to the region where the chemokine receptor gene cluster is located. [provided by RefSeq, Jul 2008],function:Receptor for CCL2, CCL5, CCL7 and CCL8.,tissue specificity:Expressed abundantly in immunal tissues such as spleen, fetal liver, lymph node and bone marrow. Strong expression also in lung and heart,

研究领域 (Research Area)

图片 (Image Data)




Immunofluorescence analysis of COS7 cells, using CCRL2 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from HepG2 cells, using CCRL2 Antibody. The lane on the right is blocked with the synthesized peptide.

产品名称: CCRL2 Rabbit Polyclonal Antibody
产品货号: AP Rab08168



Western blot analysis of the lysates from 293 cells using CCRL2 antibody.



Western Blot analysis of various cells using CCRL2 Polyclonal Antibody

注意事项 (Note)

For research use only .