

产品名称: Cleaved-Aggrecan (D369) Rabbit Polyclonal Antibody
产品货号: APRab08947



产品概述 (Summary)

产品名称 (Production Name)	Cleaved-Aggrecan (D369) Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	ACAN
别名 (Alternative Names)	ACAN; AGC1; CSPG1; MSK16; Aggrecan core protein; Cartilage-specific proteoglycan core protein; CSPCP; Chondroitin sulfate proteoglycan core protein 1; Chondroitin sulfate proteoglycan 1
基因 ID (Gene ID)	176.0
蛋白 ID (SwissProt ID)	P16112.The antiserum was produced against synthesized peptide derived from human Aggrecan. AA range:320-369

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000
----------------------	---

产品名称: Cleaved-Aggrecan (D369) Rabbit Polyclonal Antibody
产品货号: APRab08947




蛋白分子量 (Molecular Weight) 44kDa

研究背景 (Background)

This gene is a member of the aggrecan/versican proteoglycan family. The encoded protein is an integral part of the extracellular matrix in cartilagenous tissue and it withstands compression in cartilage. Mutations in this gene may be involved in skeletal dysplasia and spinal degeneration. Multiple alternatively spliced transcript variants that encode different protein isoforms have been observed in this gene. [provided by RefSeq, Jul 2008], alternative products: Additional isoforms seem to exist, developmental stage: Expression was detected in chondrocytes throughout the developing skeleton., disease: Defects in ACAN are the cause of spondyloepiphyseal dysplasia type Kimberley (SEDK) [MIM:608361]. Spondyloepiphyseal dysplasias are a heterogeneous group of congenital chondrodysplasias that specifically affect epiphyses and vertebrae. The autosomal dominant SEDK is associated with premature degenerative arthropathy., domain: Two globular domains, G1 and G2, comprise the N-terminus of the proteoglycan, while another globular region, G3, makes up the C-terminus. G1 contains Link domains and thus consists of three disulfide-bonded loop structures designated as the A, B, B' motifs. G2 is similar to G1. The keratan sulfate (KS) and the chondroitin sulfate (CS) attachment domains lie between G2 and G3., function: This proteoglycan is a major component of extracellular matrix of cartilagenous tissues. A major function of this protein is to resist compression in cartilage. It binds avidly to hyaluronic acid via an N-terminal globular region., online information: Aggrecan, PTM: Contains mostly chondroitin sulfate, but also keratan sulfate chains, N-linked and O-linked oligosaccharides. The release of aggrecan fragments from articular cartilage into the synovial fluid at all stages of human osteoarthritis is the result of cleavage by aggrecanase., similarity: Belongs to the aggrecan/versican proteoglycan family., similarity: Contains 1 C-type lectin domain., similarity: Contains 1 EGF-like domain., similarity: Contains 1 Ig-like V-type (immunoglobulin-like) domain., similarity: Contains 1 Sushi (CCP/SCR) domain., similarity: Contains 4 Link domains., subunit: Interacts with FBLN1., tissue specificity: Restricted to cartilages.,

研究领域 (Research Area)


图片 (Image Data)



产品名称: Cleaved-Aggrecan (D369) Rabbit Polyclonal
Antibody
产品货号: APRab08947



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using Aggrecan (Cleaved-Asp369) Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, treated with Etoposide 25uM 60', using Aggrecan (Cleaved-Asp369) Antibody. The lane on the right is blocked with the synthesized peptide.

注意事项 (Note)

For research use only .