产品名称: CRABP-II Rabbit Polyclonal Antibody

产品货号: APRab09362



产品概述 (Summary)

产品名称 (Production Name) CRABP-II Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) CRABP2

CRABP2; Cellular retinoic acid-binding protein 2; Cellular retinoic acid-binding 別名 (Alternative Names)

protein II; CRABP-II

基因 ID (Gene ID) 1382.0

P29373.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human CRABP2. AA range:41-90

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000

蛋白分子量 (Molecular Weight) 16kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: CRABP-II Rabbit Polyclonal Antibody

产品货号: APRab09362




研究背景 (Background)

This gene encodes a member of the retinoic acid (RA, a form of vitamin A) binding protein family and lipocalin/cytosolic fatty-acid binding protein family. The protein is a cytosol-to-nuclear shuttling protein, which facilitates RA binding to its cognate receptor complex and transfer to the nucleus. It is involved in the retinoid signaling pathway, and is associated with increased circulating low-density lipoprotein cholesterol. Alternatively spliced transcript variants encoding the same protein have been found for this gene.[provided by RefSeq, Dec 2010],domain:Forms a beta-barrel structure that accommodates hydrophobic ligands in its interior, function:Transports retinoic acid to the nucleus. Regulates the access of retinoic acid to the nuclear retinoic acid receptors, induction:By retinoic acid., similarity:Belongs to the calycin superfamily. Fatty-acid binding protein (FABP) family, subcellular location:Upon ligand binding, a conformation change exposes a nuclear localization motif and the protein is transported into the nucleus, subunit:Interacts with RXR and RARA (By similarity). Interacts with importin alpha.,


研究领域 (Research Area)

Signal Transduction

图片 (Image Data)



Western blot analysis of lysates from HT-29 cells, using CRABP2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using CRABP-II Polyclonal Antibody

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: CRABP-II Rabbit Polyclonal Antibody

产品货号: APRab09362



注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838