

产品名称: CTAG2 Rabbit Polyclonal Antibody
产品货号: APRab09487



产品概述 (Summary)

产品名称 (Production Name)	CTAG2 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,ELISA
种属反应性 (Reactivity)	Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CTAG2 ESO2 LAGE1
别名 (Alternative Names)	
基因 ID (Gene ID)	30848.0
蛋白 ID (SwissProt ID)	O75638.Synthesized peptide derived from part region of human protein

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,ELISA 1:5000-1:20000
蛋白分子量 (Molecular Weight)	23kDa

研究背景 (Background)

This gene encodes an autoimmunogenic tumor antigen that belongs to the ESO/LAGE family of cancer-testis antigens. This protein is expressed in a wide array of cancers including melanoma, breast cancer, bladder cancer and prostate cancer. This


产品名称: CTAG2 Rabbit Polyclonal Antibody
产品货号: APRab09487



protein is also expressed in normal testis tissue. An alternative open reading frame product of this gene has been described in PMID:10399963. This alternate protein, termed CAMEL, is a tumor antigen that is recognized by melanoma-specific cytotoxic T-lymphocytes. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013],domain:A transmembrane domain is present in isoform LAGE-1A.,similarity:Belongs to the CTAG family.,tissue specificity:Testis and very low level in placenta and in some uterus samples. Observed in 25-50% of tumor samples of melanomas, non-small-cell lung carcinomas, bladder, prostate and head and neck cancers.,

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of lysates from DU145 cells, primary antibody was diluted at 1:1000, 4°over night

注意事项 (Note)

For research use only .