产品名称: CYP4A11/22 Rabbit Polyclonal Antibody

产品货号: APRab09669



产品概述 (Summary)

产品名称 (Production Name) CYP4A11/22 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,ELISA

种属反应性 (Reactivity) Human, Rat, Mouse

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) CYP4A11/CYP4A22

CYP4A11; CYP4A2; Cytochrome P450 4A11; 20-hydroxyeicosatetraenoic acid

synthase; 20-HETE synthase; CYP4AII; CYPIVA11; Cytochrome P-450HK-

别名 (Alternative Names)
omega; Cytochrome P450HL-omega; Fatty acid omega-hydroxylase; Lauric

acid omega-hydroxylase; CYP4A22; C

基因 ID (Gene ID) 1579/284541

Q02928/Q5TCH4.The antiserum was produced against synthesized peptide 蛋白ID (SwissProt ID)

derived from human Cytochrome P450 4A11/22. AA range:391-440

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,ELISA 1:20000-1:40000

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: CYP4A11/22 Rabbit Polyclonal Antibody

产品货号: APRab09669



蛋白分子量 (Molecular Weight) 60kDa


研究背景 (Background)

cytochrome P450 family 4 subfamily A member 11(CYP4A11) Homo sapiens This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and hydroxylates medium-chain fatty acids such as laurate and myristate. Multiple transcript variants have been found for this gene. [provided by RefSeq, Jan 2016],catalytic activity:Octane + reduced rubredoxin + O(2) = 1-octanol + oxidized rubredoxin + H(2)O.,cofactor:Heme group.,function:Catalyzes the omega- and (omega-1)-hydroxylation of various fatty acids such as laurate, myristate and palmitate. Has little activity toward prostaglandins A1 and E1. Oxidizes arachidonic acid to 20-hydroxyeicosatetraenoic acid (20-HETE).,online information:CYP4A11 alleles,polymorphism:CYP4A11v seems to be a rare allelic variant of CYP4A11, it seems to be unstable and not to metabolize lauric acid.,similarity:Belongs to the cytochrome P450 family.,tissue specificity:Kidney and liver.,

研究领域 (Research Area)

Fatty acid metabolism; Arachidonic acid metabolism; Retinol metabolism; PPAR; Vascular smooth muscle contraction;

图片 (Image Data)



Western Blot analysis of various cells using CYP4A11/22 Polyclonal Antibody

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838