产品货号: APRab10040



产品概述 (Summary)

产品名称 (Production Name) DMPK Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,ELISA

种属反应性 (Reactivity) Human, Rat, Mouse

产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) DMPK

DMPK; DM1PK; MDPK; Myotonin-protein kinase; MT-PK; DM-kinase; DMK; **别名 (Alternative Names)**

DM1 protein kinase; DMPK; Myotonic dystrophy protein kinase

基因 ID (Gene ID) 1760.0

Q09013.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human DMPK. AA range:11-60

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,ELISA 1:20000-1:40000

蛋白分子量 (Molecular Weight) 70kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品货号: APRab10040



研究背景 (Background)

The protein encoded by this gene is a serine-threonine kinase that is closely related to other kinases that interact with members of the Rho family of small GTPases. Substrates for this enzyme include myogenin, the beta-subunit of the L-type calcium channels, and phospholemman. The 3' untranslated region of this gene contains 5-38 copies of a CTG trinucleotide repeat. Expansion of this unstable motif to 50-5,000 copies causes myotonic dystrophy type I, which increases in severity with increasing repeat element copy number. Repeat expansion is associated with condensation of local chromatin structure that disrupts the expression of genes in this region. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined. [provided by RefSeq, Jul 2016],catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,disease:Defects in DMPK are the cause of myotonic dystrophy 1 (DM1) [MIM:160900]; also known as Steinert disease. DM is an autosomal dominant neurodegenerative disorder characterized by myotonia, muscle wasting in the distal extremities, cataract, hypogonadism, defective endocrine functions, male baldness, and cardiac arrhythmias. DM patients show decreased levels of kinase expression inversely related to repeat length. The minimum estimated incidence is 1 in 8'000 live births. DM1 is caused by a CTG expansion in the 3'-UTR of the DMPK gene. The repeat length usually increases in successive generations, but not always, enzyme regulation: Activated in response to G protein second messengers. Maintained in an inactive conformation by the negative autoregulatory C-terminal coiled-coil region. Coiled-coil mediated oligomerization correlated with enhanced catalytic activity as is proteolytical cleavage near the C-terminus, function: Critical to the modulation of cardiac contractility and to the maintenance of proper cardiac conduction activity. Phosphorylates phospholamban, similarity: Belongs to the protein kinase superfamily, similarity: Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. DMPK subfamily., similarity: Contains 1 AGC-kinase C-terminal domain., similarity: Contains 1 protein kinase domain.,tissue specificity:Most isoforms are expressed in many tissues including heart, skeletal muscle, liver and brain, except for isoform 2 which is only found in the heart and skeletal muscle, and isoform 14 which is only found in the brain, with high levels in the striatum, cerebellar cortex and pons.,


研究领域 (Research Area)

图片 (Image Data)


Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品货号: APRab10040






Western blot analysis of lysates from Jurkat and COLO205 cells, using DMPK Antibody. The lane on the right is blocked with the synthesized peptide.




Western blot analysis of the lysates from HT-29 cells using DMPK antibody.



Western Blot analysis of various cells using DMPK Polyclonal Antibody

产品货号: APRab10040





Western Blot analysis of Jurkat cells using DMPK Polyclonal Antibody

注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838