产品名称: Dynein IC2 Rabbit Polyclonal Antibody

产品货号: APRab10228



## 产品概述 (Summary)

产品名称 (Production Name) Dynein IC2 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,ELISA

种属反应性 (Reactivity) Human, Mouse, Rat, Other

## 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

# 免疫原信息 (Immunogen)

基因名 (Gene Name) DNAI2

DNAI2; Dynein intermediate chain 2; axonemal; Axonemal dynein 别名 (Alternative Names)

intermediate chain 2

基因 ID (Gene ID) 64446.0

Q9GZS0.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human DNAI2. AA range:71-120

## 产品应用 (Application)

**稀释比 (Dilution Ratio)** WB 1:500-1:2000,ELISA 1:5000-1:20000

**蛋白分子量 (Molecular Weight)** 70kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Dynein IC2 Rabbit Polyclonal Antibody

产品货号: APRab10228



#### 研究背景 (Background)


The protein encoded by this gene belongs to the dynein intermediate chain family, and is part of the dynein complex of respiratory cilia and sperm flagella. Mutations in this gene are associated with primary ciliary dyskinesia type 9.

Alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Mar 2010], disease:Defects in DNAI2 are the cause of primary ciliary dyskinesia type 9 (CILD9) [MIM:612444]. CILD is an autosomal recessive disorder characterized by axonemal abnormalities of motile cilia. Respiratory infections leading to chronic inflammation and bronchiectasis are recurrent, due to defects in the respiratory cilia; reduced fertility is often observed in male patients due to abnormalities of sperm tails. Half of the patients exhibit situs inversus, due to dysfunction of monocilia at the embryonic node and randomization of left-right body asymmetry. Primary ciliary dyskinesia associated with situs inversus is referred to as Kartagener syndrome.,function:Part of the dynein complex of respiratory cilia.,sequence caution:Intron retention.,similarity:Belongs to the dynein intermediate chain family.,similarity:Contains 5 WD repeats.,subunit:Consists of at least two heavy chains and a number of intermediate and light chains. Interacts with KTU.,tissue specificity:Highly expressed in trachea and testis.,


#### 研究领域 (Research Area)

Huntington's disease;

## 图片 (Image Data)



Western blot analysis of DNAI2 Antibody. The lane on the right is blocked with the DNAI2 peptide.



Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: Dynein IC2 Rabbit Polyclonal Antibody

产品货号: APRab10228



Western blot analysis of the lysates from RAW264.7cells using DNAI2 antibody.

## 注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838