

产品名称: GalNAc4ST-1 Rabbit Polyclonal Antibody
产品货号: APRab11281



产品概述 (Summary)

产品名称 (Production Name)	GalNAc4ST-1 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,ELISA
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CHST8
别名 (Alternative Names)	CHST8; Carbohydrate sulfotransferase 8; GalNAc-4-O-sulfotransferase 1; GalNAc-4-ST1; GalNAc4ST-1; N-acetylgalactosamine-4-O-sulfotransferase 1
基因 ID (Gene ID)	64377.0
蛋白 ID (SwissProt ID)	Q9H2A9.The antiserum was produced against synthesized peptide derived from human CHST8. AA range:341-390

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,ELISA 1:20000-1:40000
蛋白分子量 (Molecular Weight)	40kDa

产品名称: GalNAc4ST-1 Rabbit Polyclonal Antibody
产品货号: APRab11281




研究背景 (Background)

The protein encoded by this gene belongs to the sulfotransferase 2 family. It is predominantly expressed in the pituitary gland, and is localized to the golgi membrane. This protein catalyzes the transfer of sulfate to position 4 of non-reducing N-acetylgalactosamine (GalNAc) residues in both N-glycans and O-glycans. It is responsible for sulfation of GalNAc on luteinizing hormone (LH), which is required for production of the sex hormones. Mice lacking this enzyme, exhibit increased levels of circulating LH, and precocious sexual maturation of both male and female mice. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Aug 2011],caution:PubMed:10988300 reports the possible existence of a secreted isoform starting at Met-119. However, they do not provide any experimental evidence.,function:Catalyzes the transfer of sulfate to position 4 of non-reducing N-acetylgalactosamine (GalNAc) residues in both N-glycans and O-glycans. Required for biosynthesis of glycoprotein hormones lutropin and thyrotropin, by mediating sulfation of their carbohydrate structures. Only active against terminal GalNAcbeta1, GalNAcbeta. Not active toward chondroitin.,induction:Down-regulated (17-fold) in prion-infected cells.,similarity:Belongs to the sulfotransferase 2 family.,tissue specificity:Predominantly expressed in pituitary gland. In brain, it is expressed in pituitary gland, cerebellum, medulla oblongata, pons, thalamus and spinal cord. Expressed at lower level in lung, spleen, adrenal gland, placenta, prostate, testis, mammary gland and trachea.,


研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of lysates from K562 cells, using CHST8 Antibody. The lane on the right is blocked with the synthesized peptide.

产品名称: GalNAc4ST-1 Rabbit Polyclonal Antibody
产品货号: APRab11281



Western blot analysis of the lysates from HT-29 cells using CHST8 antibody.

注意事项 (Note)

For research use only .