产品名称: Manic Fringe Rabbit Polyclonal Antibody

产品货号: APRab13619



### 产品概述 (Summary)

产品名称 (Production Name) Manic Fringe Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,ELISA

种属反应性 (Reactivity) Human, Mouse, Rat

## 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

# 免疫原信息 (Immunogen)

基因名 (Gene Name) MFNG

MFNG; Beta-1; 3-N-acetylglucosaminyltransferase manic fringe; O-别名 (Alternative Names)

fucosylpeptide 3-beta-N-acetylglucosaminyltransferase

基因 ID (Gene ID) 4242.0

O00587.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human MFNG. AA range:61-110

## 产品应用 (Application)

**稀释比 (Dilution Ratio)** WB 1:500-1:2000,ELISA 1:5000-1:10000

蛋白分子量 (Molecular Weight) 38kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Manic Fringe Rabbit Polyclonal Antibody

产品货号: APRab13619




### 研究背景 (Background)

This gene is a member of the fringe gene family which also includes radical and lunatic fringe genes. They all encode evolutionarily conserved secreted proteins that act in the Notch receptor pathway to demarcate boundaries during embryonic development. While their genomic structure is distinct from other glycosyltransferases, fringe proteins have a fucose-specific beta-1,3-N-acetylglucosaminyltransferase activity that leads to elongation of O-linked fucose residues on Notch, which alters Notch signaling. [provided by RefSeq, Oct 2009],catalytic activity:Transfers a beta-D-GlcNAc residue from UDP-D-GlcNAc to the fucose residue of a fucosylated protein acceptor.,function:Glycosyltransferase involved in the elongation of O-linked ligands to activate Notch signaling. Possesses fucose-specific beta-1,3-N-acetylglucosaminyltransferase activity.,online information:Beta-1,3-N-acetylglucosaminyltransferase manic fringe,online information:GlycoGene database,similarity:Belongs to the glycosyltransferase 31 family.,

## 研究领域 (Research Area)

Notch;

### 图片 (Image Data)



Western blot analysis of the lysates from HepG2 cells using MFNG antibody.

#### 注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838