产品名称: MBL-C Rabbit Polyclonal Antibody

产品货号: APRab13686



产品概述 (Summary)

产品名称 (Production Name) MBL-C Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,IHC

种属反应性 (Reactivity) Human, Mouse

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) MBL2

别名 (Alternative Names) MBL2 COLEC1 MBL

基因 ID (Gene ID) 4153.0

蛋白 ID (SwissProt ID) P11226.Synthetic peptide from human protein at AA range: 21-70

产品应用(Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:50-1:300

蛋白分子量 (Molecular Weight) 27kDa

研究背景 (Background)

This gene encodes the soluble mannose-binding lectin or mannose-binding protein found in serum. The protein encoded

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: MBL-C Rabbit Polyclonal Antibody

产品货号: APRab13686




belongs to the collectin family and is an important element in the innate immune system. The protein recognizes mannose and N-acetylglucosamine on many microorganisms, and is capable of activating the classical complement pathway.

Deficiencies of this gene have been associated with susceptibility to autoimmune and infectious diseases. [provided by RefSeq, Jul 2008], disease: Genetic variations in MBL2 are associated with susceptibility to hepatitis B virus infection (HBV infection) [MIM:610424]. Approximately one third of all cases of cirrhosis and half of all cases of hepatocellular carcinoma can be attributed to chronic HBV infection. HBV infection may result in subclinical or asymptomatic infection, acute self-limited hepatitis, or fulminant hepatitis requiring liver transplantation., disease: There is an association between low levels of MBL2 and a defect of opsonization which results in susceptibility to frequent and chronic infections., function: Binds mannose and N-acetylglucosamine in a calcium-dependent manner. Is capable of host defense against pathogens, by activating the classical complement pathway independently of the antibody., online information: Mannose-binding protein, similarity: Contains 1 C-type lectin domain., similarity: Contains 1 collagen-like domain., subunit: Oligomeric complex of 6 set of homotrimers. Interacts with MASP1 and MASP2; the interaction is calcium-dependent.,

研究领域 (Research Area)

Complement and coagulation cascades;

图片 (Image Data)



Western Blot analysis of mouse-kidney cells using Antibody diluted at 500. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838


产品名称: MBL-C Rabbit Polyclonal Antibody

产品货号: APRab13686






Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838