

产品名称: MRP-L40 Rabbit Polyclonal Antibody
产品货号: APRab14128



产品概述 (Summary)

产品名称 (Production Name)	MRP-L40 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	MRPL40 MRPL40; NLVCF; URIM; 39S ribosomal protein L40; mitochondrial; L40mt;
别名 (Alternative Names)	MRP-L40; Nuclear localization signal-containing protein deleted in velocardiiofacial syndrome; Up-regulated in metastasis
基因 ID (Gene ID)	64976.0
蛋白 ID (SwissProt ID)	Q9NQ50.The antiserum was produced against synthesized peptide derived from human MRPL40. AA range:101-150

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:20000-1:40000
蛋白分子量 (Molecular Weight)	24kDa

产品名称: MRP-L40 Rabbit Polyclonal Antibody
产品货号: APRab14128




研究背景 (Background)


Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Deletions in this gene may contribute to the etiology of velo-cardio-facial syndrome and DiGeorge syndrome. [provided by RefSeq, Jul 2008], tissue specificity: Ubiquitous.,

研究领域 (Research Area)

图片 (Image Data)




Immunohistochemistry analysis of paraffin-embedded human pancreas tissue, using MRPL40 Antibody. The picture on the right is blocked with the synthesized peptide.




Western blot analysis of lysates from COLO cells, using MRPL40 Antibody. The lane on the right is blocked with the synthesized peptide.

产品名称: MRP-L40 Rabbit Polyclonal Antibody
产品货号: APRab14128



Western blot analysis of the lysates from Jurkat cells using MRPL40 antibody.



Western Blot analysis of various cells using MRP-L40 Polyclonal Antibody diluted at 1: 1000

注意事项 (Note)

For research use only .