产品名称: MYBPC3 Rabbit Polyclonal Antibody

产品货号: APRab14264



## 产品概述 (Summary)

产品名称 (Production Name) MYBPC3 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit 应用 (Application) WB,IHC

种属反应性 (Reactivity) Human, Mouse, Rat

### 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

# 免疫原信息 (Immunogen)

基因名 (Gene Name) MYBPC3

Myosin-binding protein C, cardiac-type (Cardiac MyBP-C) (C-protein, cardiac 别名 (Alternative Names)

muscle isoform)

基因 ID (Gene ID) 4607.0

蛋白 ID (SwissProt ID) Q14896.Synthesized peptide derived from human MYBPC3 Polyclonal

#### 产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:50-1:300

蛋白分子量 (Molecular Weight) 140kDa

## 研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: MYBPC3 Rabbit Polyclonal Antibody

产品货号: APRab14264




MYBPC3 encodes the cardiac isoform of myosin-binding protein C. Myosin-binding protein C is a myosin-associated protein found in the cross-bridge-bearing zone (C region) of A bands in striated muscle. MYBPC3, the cardiac isoform, is expressed exclussively in heart muscle. Regulatory phosphorylation of the cardiac isoform in vivo by cAMP-dependent protein kinase (PKA) upon adrenergic stimulation may be linked to modulation of cardiac contraction. Mutations in MYBPC3 are one cause of familial hypertrophic cardiomyopathy. [provided by RefSeq, Jul 2008], disease:Defects in MYBPC3 are the cause of cardiomyopathy familial hypertrophic type 4 (CMH4) [MIM:115197]. Familial hypertrophic cardiomyopathy is a hereditary heart disorder characterized by ventricular hypertrophy, which is usually asymmetric and often involves the interventricular septum. The symptoms include dyspnea, syncope, collapse, palpitations, and chest pain. They can be readily provoked by exercise. The disorder has inter- and intrafamilial variability ranging from benign to malignant forms with high risk of cardiac failure and sudden cardiac death, function:Thick filament-associated protein located in the crossbridge region of vertebrate striated muscle a bands. In vitro it binds MHC, F-actin and native thin filaments, and modifies the activity of actin-activated myosin ATPase. It may modulate muscle contraction or may play a more structural role, PTM:Substrate for phosphorylation by PKA and PKC. Reversible phosphorylation appears to modulate contraction, similarity:Belongs to the immunoglobulin superfamily. MyBP family, similarity:Contains 3 fibronectin type-III domains, similarity:Contains 7 Ig-like C2-type (immunoglobulin-like) domains,

#### 研究领域 (Research Area)

Hypertrophic cardiomyopathy (HCM); Dilated cardiomyopathy;

#### 图片 (Image Data)



Western blot analysis of mouse-kidney lysate, antibody was diluted at 1000. Secondary antibody was diluted at 1:20000

#### 注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838