

产品名称: Myosin IXb Rabbit Polyclonal Antibody
产品货号: AP Rab14343



产品概述 (Summary)

产品名称 (Production Name)	Myosin IXb Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ELISA
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	MYO9B
别名 (Alternative Names)	MYO9B; MYR5; Unconventional myosin-IXb; Unconventional myosin-9b
基因 ID (Gene ID)	4650.0
蛋白 ID (SwissProt ID)	Q13459.The antiserum was produced against synthesized peptide derived from human MYO9B. AA range:304-353

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:50-1:300,ELISA 1:2000-1:20000
蛋白分子量 (Molecular Weight)	250kDa

研究背景 (Background)


产品名称: Myosin IXb Rabbit Polyclonal Antibody
产品货号: AP Rab14343



This gene encodes a member of the myosin family of actin-based molecular motor heavy chain proteins. The protein represents an unconventional myosin; it should not be confused with the conventional non-muscle myosin-9 (MYH9). The protein has four IQ motifs located in the neck domain that bind calmodulin, which serves as a light chain. The protein complex has a single-headed structure and exhibits processive movement on actin filaments toward the minus-end. The protein also has rho-GTPase activity. Polymorphisms in this gene are associated with celiac disease and ulcerative colitis susceptibility. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2011], disease: Genetic variation in MYO9B is the cause of susceptibility to celiac disease 4 (CELIAC4) [MIM:609753]. Celiac disease [MIM:212750] is a multifactorial disorder of the small intestine that is influenced by both environmental and genetic factors. It is characterized by malabsorption resulting from inflammatory injury to the mucosa of the small intestine after the ingestion of wheat gluten or related rye and barley proteins. In its classic form, celiac disease is characterized in children by malabsorption and failure to thrive., function: Myosins are actin-based motor molecules with ATPase activity. Unconventional myosins serve in intracellular movements. May be involved in the remodeling of the actin cytoskeleton. Binds actin with high affinity both in the absence and presence of ATP and its mechanochemical activity is inhibited by calcium ions. Also acts as a GTPase activating protein on Rho., online information: MYO9B entry, sequence caution: Chimera. The C-terminal sequence from position 1917 onwards is probably a chimera., similarity: Contains 1 myosin head-like domain., similarity: Contains 1 phorbol-ester/DAG-type zinc finger., similarity: Contains 1 Ras-associating domain., similarity: Contains 1 Rho-GAP domain., similarity: Contains 4 IQ domains., subcellular location: In undifferentiated cells colocalizes with F-actin in the cell periphery while in differentiated cells its localization is cytoplasmic with the highest levels in the perinuclear region., tissue specificity: Expressed predominantly in peripheral blood leukocytes and at lower levels, in thymus, spleen, testis, prostate, ovary, brain, small intestine and lung.,

研究领域 (Research Area)

图片 (Image Data)



Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200 (4° overnight) . 2, Tris-EDTA, pH 9.0 was used for antigen retrieval. 3, Secondary antibody was diluted at 1:200 (room temperature, 45min) .

产品名称: Myosin IXb Rabbit Polyclonal Antibody
产品货号: APRab14343



注意事项 (Note)

For research use only .