产品名称: Nck-2 Rabbit Polyclonal Antibody

产品货号: APRab14445



产品概述 (Summary)

产品名称 (Production Name) Nck-2 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Mouse

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) NCK2

NCK2; GRB4; Cytoplasmic protein NCK2; Growth factor receptor-bound **别名 (Alternative Names)**

protein 4; NCK adaptor protein 2; Nck-2; SH2/SH3 adaptor protein NCK-beta

基因 ID (Gene ID) 8440.0

O43639.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human NCK2. AA range:331-380

产品应用 (Application)

稀释比 (Dilution Ratio) IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Nck-2 Rabbit Polyclonal Antibody

产品货号: APRab14445




研究背景 (Background)

This gene encodes a member of the NCK family of adaptor proteins. The protein contains three SH3 domains and one SH2 domain. The protein has no known catalytic function but has been shown to bind and recruit various proteins involved in the regulation of receptor protein tyrosine kinases. It is through these regulatory activities that this protein is believed to be involved in cytoskeletal reorganization. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008], function: Adapter protein which associates with tyrosine-phosphorylated growth factor receptors or their cellular substrates. Maintains low levels of EIF2S1 phosphorylation by promoting its dephosphorylation by PP1., similarity: Contains 1 SH2 domain., similarity: Contains 1 SH3 domain., similarity: Contains 2 SH3 domains., similarity: Contains 3 SH3 domains., subunit: Interacts with DOCK1, PINCH and TGFB111. Part of a complex containing PPP1R15B, PP1 and NCK2, tissue specificity: Ubiquitous.,

研究领域 (Research Area)

ErbB HER;Axon guidance;T Cell Receptor;Pathogenic Escherichia coli infection;

图片 (Image Data)



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using NCK2 Antibody. The picture on the right is blocked with the synthesized peptide.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838