产品名称: NDUFB9 Rabbit Polyclonal Antibody

产品货号: APRab14508



产品概述 (Summary)

产品名称 (Production Name) NDUFB9 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA种属反应性 (Reactivity)Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) NDUFB9

NDUFB9; LYRM3; UQOR22; NADH dehydrogenase [ubiquinone] 1 beta

别名 (Alternative Names) subcomplex subunit 9; Complex I-B22; CI-B22; LYR motif-containing protein 3;

NADH-ubiquinone oxidoreductase B22 subunit

基因 ID (Gene ID) 4715.0

Q9Y6M9.The antiserum was produced against synthesized peptide derived 蛋白ID (SwissProt ID)

from human NDUFB9. AA range:102-151

产品应用 (Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 22kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: NDUFB9 Rabbit Polyclonal Antibody

产品货号: APRab14508




研究背景 (Background)

The protein encoded by this gene is a subunit of the mitochondrial oxidative phosphorylation complex I (nicotinamide adenine dinucleotide: ubiquinone oxidoreductase). Complex I is localized to the inner mitochondrial membrane and functions to dehydrogenate nicotinamide adenine dinucleotide and to shuttle electrons to coenzyme Q. Complex I deficiency is the most common defect found in oxidative phosphorylation disorders and results in a range of conditions, including lethal neonatal disease, hypertrophic cardiomyopathy, liver disease, and adult-onset neurodegenerative disorders. Pseudogenes of this gene are found on chromosomes five, seven and eight. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2015],function:Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed to be not involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.,similarity:Belongs to the complex I LYR family.,subunit:Mammalian complex I is composed of 45 different subunits.,

研究领域 (Research Area)

Oxidative phosphorylation; Alzheimer's disease; Parkinson's disease; Huntington's disease;

图片 (Image Data)




Western blot analysis of lysates from COLO205 cells and 293 cells, using NDUFB9 Antibody. The lane on the right is blocked with the synthesized peptide.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838


产品名称: NDUFB9 Rabbit Polyclonal Antibody

产品货号: APRab14508






Western blot analysis of the lysates from COLO205 cells using NDUFB9 antibody.



Western Blot analysis of various cells using NDUFB9 Polyclonal Antibody diluted at 1: 500



Western Blot analysis of 293 cells using NDUFB9 Polyclonal Antibody diluted at 1: 500

注意事项 (Note)

For research use only .