



产品货号: APRab15212



产品概述 (Summary)

产品名称 (Production Name) Olfactory receptor 3A2/3A3 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application) WB,ICC/IF,ELISA 种属反应性 (Reactivity) Human, Rat, Mouse

产品性能 (Performance)

Unconjugated 偶联物 (Conjugation) 修饰 (Modification) Unmodified

同种型 (Isotype) IgG

Polyclonal 克隆 (Clonality) 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name) OR3A2/OR3A3

OR3A3; OR3A6; OR3A7; OR3A8P; Olfactory receptor 3A3; Olfactory receptor

17-201; OR17-201; Olfactory receptor 3A6; Olfactory receptor 3A7; Olfactory

别名 (Alternative Names) receptor 3A8; Olfactory receptor OR17-22; OR3A2; OLFRA04; Olfactory

receptor 3A2; Olfactory

基因 ID (Gene ID) 8392/4995

P47888/P47893.The antiserum was produced against synthesized peptide 蛋白 ID (SwissProt ID)

derived from human OR3A2/3. AA range:65-114

产品应用(Application)

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技支持) Web: https://www.enkilife.cn Tel: 027-87002838



产品货号: APRab15212



稀释比 (Dilution Ratio) WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:10000

蛋白分子量 (Molecular Weight) 36kDa

研究背景 (Background)

olfactory receptor family 3 subfamily A member 3(OR3A3) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], caution: It is uncertain whether Met-1 or Met-7 is the initiator., function: Odorant receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,

研究领域(Research Area)

Olfactory transduction;

图片 (Image Data)




Immunofluorescence analysis of MCF7 cells, using OR3A2/3 Antibody. The picture on the right is blocked with the synthesized peptide.

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Web: https://www.enkilife.cn Tel: 027-87002838






产品货号: APRab15212



Western blot analysis of lysates from MCF-7 cells, using OR3A2/3 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using OR3A2/3 antibody.

注意事项 (Note)

For research use only.

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Web: https://www.enkilife.cn Tel: 027-87002838