

### 产品概述 (Summary)

产品名称 (Production Name) Olfactory receptor 5P2 Rabbit Polyclonal Antibody

描述 (Description) Rabbit polyclonal Antibody

宿主 (Host) Rabbit

应用 (Application)WB,ICC/IF,ELISA种属反应性 (Reactivity)Human,Rat,Mouse

### 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Polyclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% 储存溶液 (Buffer)

New type preservative N.

纯化方式 (Purification) Affinity purification

## 免疫原信息 (Immunogen)

基因名 (Gene Name) OR5P2

别名 (Alternative Names)

基因 ID (Gene ID) 120065.0

Q8WZ92/Q3MIS8.The antiserum was produced against synthesized peptide 蛋白ID (SwissProt ID)

derived from human OR5P2. AA range:193-242

#### 产品应用(Application)

稀释比 (Dilution Ratio) WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:20000

蛋白分子量 (Molecular Weight) 38kDa

### 研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838








olfactory receptor family 5 subfamily P member 2(OR5P2) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008], function: Odorant receptor (Potential). May be involved in taste perception,,miscellaneous: The sequence shown here is derived from an EMBL/GenBank/DDBJ third party annotation (TPA) entry., similarity: Belongs to the G-protein coupled receptor 1 family., tissue specificity: Expressed in the tongue.,


### 研究领域 (Research Area)

Olfactory transduction;

### 图片 (Image Data)



Immunofluorescence analysis of MCF7 cells, using OR5P2 Antibody. The picture on the right is blocked with the synthesized




Western blot analysis of lysates from HUVEC cells, using OR5P2 Antibody. The lane on the right is blocked with the synthesized peptide.

E-mail: order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Web: https://www.enkilife.cn Tel: 027-87002838



(kD) 117-85-48-34-26-19-

Western blot analysis of the lysates from K562 cells using OR5P2 antibody.



Western Blot analysis of HUVEC cells using Olfactory receptor 5P2 Polyclonal Antibody

# 注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838